

	A	B	D	E
1	JBL Professional			
2	Fiscal 2009 Distributor Pricing for Asia, Middle East & Africa - Effective July 1st, 2008.			
3	These Prices Supersede Any Others Previously Issued And Are Subject To Change Without Notice.			
4	Model	Description	PRICE	Country of Origin
5	PRX(JBL006)			
6	PRX500 Loudspeakers			
7	PRX512M	12" two-way stage monitor or front of house self-powered speaker system; 400 watt LF and 100 watt HF Crown® class D amplifier. DSP-featured input section with selectable EQ. 12" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver, DuraFlex™-covered plywood enclosure, foam backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. Light weight, only 40 lbs!	15,900,000 ريال	MEXICO
8	PRX512M/230	Same as above but in 230v.	15,900,000 ريال	MEXICO
9	PRX515	15" two-way self powered speaker system; 400 watt LF and 100 watt HF Crown® class D amplifier. DSP-featured input section with selectable EQ. 15" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, 36 mm pole socket, non-skid rubber feet. Light weight, only 57 lbs!	18,190,000 ريال	MEXICO
10	PRX515/230	Same as above but in 230v.	18,190,000 ريال	MEXICO
11	PRX518S	Compact 18" portable subwoofer system, 500 watt Crown® class D amplifier. DSP featured input section with selectable x-over. 18" VGC™ Vented Gap Cooled woofer in a DuraFlex™-covered, 18mm plywood enclosure, foam backed steel grille, die-cast metal handles and 36 mm pole mount cup, non-skid rubber feet.	18,190,000 ريال	MEXICO
12	PRX518S/230	Same as above but in 230v.	18,190,000 ريال	MEXICO
13	PRX525	Dual 15" two-way self-powered speaker system; 2 x 275 watt LF and 100 watt HF Crown® class D amplifiers. DSP-featured input section with selectable EQ. Two 15" Differential Drive® woofers and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, non-skid rubber feet. Light weight, only 84 lbs!	21,510,000 ريال	MEXICO
14	PRX525/230	Same as above but in 230v.	21,510,000 ريال	MEXICO

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
15	PRX535	15" three-way self-powered speaker system; 400 watt LF, 150 watt MF and 100 watt HF Crown® class D amplifiers. DSP-featured input section with selectable EQ. 15" Differential Drive® woofers, 6.5" horn loaded mid range and a 1" neodymium compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, non-skid rubber feet. Light weight, only 74 lbs!	21,510,000 ريال	MEXICO
16	PRX535/230	Same as above but in 230v.	21,510,000 ريال	MEXICO
17	Accessories			
18	SS2-BK	Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX	2,440,000 ريال	CHINA
19	SS3-BK	35mm Diameter, 41" (1041.4 mm) Speaker Pole for JRX, MRX and PRX Sub/Satellite configurations	750,000 ريال	CHINA
20				
21	<u>VRX(JBL009)</u>			
22	<u>VRX900 Loudspeakers</u>			
23	VRX915M	15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression driver, 50 x 90 waveguide; passive or bi-amplified operation; compact 30° symmetrical wedge enclosure; Black DuraFlex™ finish; heavy duty 16 gauge foam backed steel grille.	24,910,000 ريال	MEXICO
24	VRX915S	15" compact, flying subwoofer; 2265G-1 Differential Drive® 800 W AES LF; integral flying hardware compatible with VRX928LA and accessories; top-mounted M20 threaded pole socket. Black DuraFlex™ finish.	19,110,000 ريال	MEXICO
25	VRX918S	18" compact, flying subwoofer; 2268H Differential Drive® LF; integral flying hardware compatible with VRX932LA-1 and accessories; handles and pole mount deleted. White DuraFlex™ finish.	20,330,000 ريال	MEXICO
26	VRX918S-WH	18" Compact, Flying Subwoofer; 2268H Differential Drive® LF; Integral Flying Hardware Compatible with VRX932LA and Accessories; Designed for Fixed Installations with JBL's White Duraflex™; No Pole Mount or Handles Included.	20,330,000 ريال	USA
27	VRX928LA	8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W LF; 2 x 2414H 1 inch compression driver HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	22,080,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
28	VRX932LA-1	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	33,620,000 ريال	MEXICO
29	VRX932LA-1-WH	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; integral rigging hardware; passive or bi-amplified operation; handles and pole mount deleted. White DuraFlex™ finish.	33,620,000 ريال	USA
30	VRX Powered Loudspeakers			
31	VRX932LAP	Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant Curvature waveguide; Crown DPC-2 amplifier module with system DSP; dual angle pole socket and integral rigging hardware; black DuraFlex™ finish.	42,020,000 ريال	USA
32	VRX918SP	Powered 18" flying subwoofer , 2268H Differential Drive® LF, Crown DPC-2 amplifier module with system DSP; integral rigging hardware compatible with VRX932LAP; top mounted M20 threaded pole socket; black DuraFlex™ finish	28,970,000 ريال	USA
33	Accessories			
34	VRX-SMAF	Small Array Frame for suspending VRX928LA and VRX915S arrays. Includes 2 x quick release pins, 2 x shackles, 2 x drop levers..		USA
35	VRX-AF	Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. Includes 4 x Quick Release Pins, 2 x Shackles, 2 x Drop Levers	12,640,000 ريال	USA
36	SS4-BK	Adjustable Pole (35.5" - 57"; 900 mm – 1450 mm) for use with SRX718S/VRX918S/VRX918SP/VRX915S Subwoofer. M20 Threads on Bottom, 35mm Pole on Top	1,560,000 ريال	GERMANY
37	WK-4S	Wheel Kit for SRX718S/VRX918S/VRX918S. 4 x Swivel Casters	980,000 ريال	CHINA
38	SRX718S-CVR	Protective Cover for VRX918S/P and SRX718S with extra protection in grille area will fit when wheel kit is mounted	1,300,000 ريال	CHINA
39				
40	EON (JBL010)			
41	EON Powered Loudspeakers			
42	EON10-G2	Powered 10" portable speaker system , bi-amplified, 125 watt low-frequency, 50 watt high-frequency, 10" Differential Drive® woofer with neodymium magnet, 1" (exit) titanium diaphragm ferrofluid cooled compression driver, black with 'EON' embossed grille.	8,390,000 ريال	USA
43	EON10-G2/230	Same as above, but 230v.	8,390,000 ريال	USA
44	EON15-G2	Powered 15" portable speaker system , bi-amplified, 300 watt low-frequency, 100 watt high-frequency, 15" Differential Drive transducer with neodymium magnet, 1.75" (voice coil) titanium diaphragm compression driver, integral 3 input mixer, black with 'EON' embossed grille.	11,550,000 ريال	USA
45	EON15-G2/230	Same as above, but 230v.	11,550,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
46	EON15P-1	15" portable powered speaker system , bi-amplified, 130 watt low frequency, 50 watt high frequency, 15" Differential Drive transducer with neodymium magnet, 1.75" (voice coil) titanium diaphragm compression driver, gray.	9,070,000 ريال	USA
47	EON15P-1/230	Same as EON 15P-1, but 230v.	9,070,000 ريال	USA
48	EON SYSTEM			
49	E-SYSTEM 10	Complete sound reinforcement system includes two powered EON10 G2 Speakers; one Soundcraft 8 channel mixer with 6 mic/line inputs plus two stereo inputs; two AKG microphones; four 25' XLR cables.	21,270,000 ريال	USA
50	E-SYSTEM 10/230	Same as above, but 230v.	21,270,000 ريال	USA
51	E-SYSTEM 15	Complete sound reinforcement system includes two powered EON15 G2 Speakers; one Soundcraft 10 channel mixer with 8 mic/line inputs plus two stereo inputs; two AKG microphones; four 25' XLR cables	27,900,000 ريال	USA
52	E-SYSTEM 15/230	Same as above, but 230v.	27,900,000 ريال	USA
53	EON Passive Loudspeakers			
54	EON1500	15" two-way portable speaker system , 15" low-frequency transducer, 1" (exit) compression driver, SonicGuard™ over-power protection, 225 watt, black.	5,480,000 ريال	USA
55	EON Accessories			
56	EON BRK1	Mounting Bracket for EON 15" Speakers - Fixed Angle	700,000 ريال	USA
57	EON BRK2	Mounting Bracket for EON 10" Speakers - Fixed Angle	670,000 ريال	USA
58	EON BRK10	Mounting bracket for EON 10" Speakers - adapts to fit Omnimount® Series 60 brackets and others with compatible hole patterns.	810,000 ريال	USA
59	EON BRK15	Mounting bracket for EON 15" Speakers - adapts to fit Omnimount® Series 120 brackets and others with compatible hole patterns.	930,000 ريال	USA
60	ESK10-1	Suspension Kit for EON 10 Speakers	560,000 ريال	USA
61	ESK15-1	Suspension Kit for EON 15 Speakers (Not for use with EON 1500).	640,000 ريال	USA
62	EON10 Bag-1	Zippered, plush-lined speaker bag , fits all EON 10" speakers	720,000 ريال	CHINA
63	EON15 Bag-1	Zippered, plush-lined speaker bag , fits all EON 15" speakers	980,000 ريال	CHINA
64	EON15 Bag/w-1	Zippered, plush-lined speaker wheeled bag , fits all EON 15" speakers	1,860,000 ريال	CHINA
65	SS2-BK	Tripod Stand for EON, JRX, MRX, PRX, SRX and VRX	2,440,000 ريال	CHINA
66				
67	JRX SERIES LOUDSPEAKERS (JBL012)			
68	JRX100 Series			
69	JRX112M	12" two-way portable stage monitor or front of house speaker system includes a 12" woofer; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, stage monitor enclosure; 3/4" MDF construction; 18-gauge steel grill; 36 mm dual-angle pole mount socket; steel handles; Neutrik® Speakon® and 1/4" input.	3,920,000 ريال	MEXICO
70	JRX115	15" two-way portable speaker system includes a 15" woofer; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; 36 mm dual-angle pole mount socket; steel handles; Neutrik® Speakon® and 1/4" input.	4,050,000 ريال	MEXICO
71	JRX118S	18" portable subwoofer system with cast frame, 3" voice-coil woofer; 1/4" phone and dual Neutrik® Speakon® inputs; carpet-covered enclosure; 3/4" MDF construction; 18-gauge steel grille; 36 mm pole mount socket, and steel handles.	6,260,000 ريال	MEXICO

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
72	JRX118SP	Powered 18" portable subwoofer system includes a built-in amplifier with 500 watt (peak) and 300 watt (continuous) power; stereo, line-level, crossover with high-passed outputs; carpet-covered enclosure; 3/4" MDF construction; 18 gauge steel grille; 36 mm pole mount socket, and steel handles.	10,080,000 ريال	MEXICO
73	JRX118SP/230	Same as JRX118SP, but in 230v.	10,080,000 ريال	MEXICO
74	JRX125	Dual 15" two-way portable speaker system includes two 15" woofers; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; steel handles; Neutrik® Speakon® and 1/4" input.	5,910,000 ريال	MEXICO
75	JRX100 INSTALL			
76	JRX112MI	12", two-way stage monitor or front of house speaker system designed for installation applications. Includes a 12" woofer with an edgewound voice coil; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, stage monitor enclosure; 3/4" MDF construction; 18-gauge steel grill; 3x M10 threaded suspension points; 3x 10 mm forged shoulder eyebolts with washers; Neutrik® Speakon® and 1/4" input.	4,580,000 ريال	MEXICO
77	JRX115I	15", two-way speaker system designed for installation applications. Includes a 15" woofer with an edgewound voice coil; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; 3x M10 threaded suspension points; 3x 10 mm forged shoulder eyebolts with washers; Neutrik® Speakon® and 1/4" input.	4,680,000 ريال	MEXICO
78				
79	CONTROL CONTRACTOR (JBL018)			
80	Control 200 Series Medium-Format Ceiling Speakers			
81	CONTROL 226C/T	6.5" Coax Ceiling Loudspeaker. True-Broadband 120° Coverage. 150 Watts, 47 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms Plus 70V/100V Taps at 60W, 30W, 15W (And 7.5W @ 70V). 13" Round Ported Baffle x 9.7" Deep. (Priced as Each, Sold in Pairs).	4,420,000 ريال	CHINA
82	CONTROL 227C	6.5" Coax Ceiling Loudspeaker with Compression Driver. Broadband 120° Coverage. 150 Watts, 43 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms. 12" Round Ported Baffle x 5.8" Deep. (Priced and Sold as Each). UL LISTED	3,520,000 ريال	CHINA
83	CONTROL 227CT	Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68 W, 34W and 17W (plus 8.5W at 70V only). 12" Round Baffle x 5.8" Deep. (Priced and Sold as Each). UL LISTED	4,010,000 ريال	CHINA
84	Control 200 Accessories			
85	MTC-200BB6	Back Can for Control 227C&CT Models. Round with Extra-Thick 16-Gauge Steel and Heavy Duty 1/2" MDF Reinforcement on Top Panel. Knockouts on Sides and Top Panel. 0.5 Cubic Foot. 13.3" Dia x 8.1" Deep. (Priced and Sold as Each). UL LISTED	790,000 ريال	CHINA
86	MTC-RG6/8	*Previously MTC-300RG8* . Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models". Fashionable Upscale Look, White, Metal, 13.6" Dia x 0.64" Deep. NOW UL LISTED	330,000 ريال	CHINA
87	MTC-TB6/8	Tile Bridge for Medium (C227C & C227CT) and Large (C328 & C328CT) Format Ceiling Speakers. 18-Gauge steel. 25.4" x 16.3" x 1" Deep. (Price as Each, Sold 6 pcs Per Box)	290,000 ريال	CHINA
88	Control 300 Series Large-Format Ceiling Speakers			

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
89	CONTROL 321C	Premium 12" Coax Ceiling Loudspeaker. True-Broadband 90° Coverage. 250 Watts, 34 Hz to 18 kHz Frequency Response, 94 dB Sensitivity. 2412H Compression Driver. 14.4" Square Ported Baffle x 8.8" Deep. EZ-Rail™ For Ease of Installation. UL LISTED.	5,210,000 ريال	USA
90	CONTROL 321CT	Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W and 17W (Plus 8.5W at 70V Only). 14.4" Square Ported Baffle x 9.5" Deep. EZ-Rail for Ease of Installation. UL LISTED	5,730,000 ريال	USA
91	CONTROL 322C	High-Power 12" Coax Ceiling Loudspeaker with Medium Format Compression Driver. True Broadband 90° Coverage. 400 Watts, 32 Hz to 20 kHz Frequency Response, 95 dB Sensitivity. 2407H Compression Driver. 14.4" Square Ported Baffle x 8.8" Deep. EZ-Rail for Ease of Installation. UL LISTED	7,580,000 ريال	USA
92	CONTROL 322CT	Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap Transformer. Taps at 100W, 50W & 25W (Plus 12.5W at 70V Only). 14.4" Square Ported Baffle x 9.5" Deep. EZ-Rail for Ease of Installation. UL LISTED	8,230,000 ريال	USA
93	CONTROL 328C	8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120° Coverage. 250 Watts, 45 Hz to 18 kHz Frequency Response, 93 dB Sensitivity. 2412H Compression driver. 12" Round Ported Baffle/Waveguide x 6.3" Deep. UL LISTED	4,220,000 ريال	USA
94	CONTROL 328CT	Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W & 17W (Plus 8.5W at 70V Only). 12" Round Ported Baffle with Waveguide, Depth 8.6". UL LISTED	4,740,000 ريال	USA
95	CONTROL 312CS	12" In-Ceiling Subwoofer. 400 Watts, 30 Hz – 4.5 kHz Frequency Response, 93 dB Sensitivity. 14.4" Square Ported Baffle x 6.3" Deep. EZ-Rail for Ease of Installation. UL LISTED	6,450,000 ريال	CHINA
96	Control 300 Accessories			
97	MTC-300BB8	One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top Panel. Knockouts on Sides and Top Panel. Fits Control 328C & 328CT. 15" Dia x 10.6" Deep. NOW UL LISTED	960,000 ريال	CHINA
98	MTC-300BB12	Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top and Side Panels. Fits Control 321C, 321CT, 322C, 322CT & 321CS. 23.1" x 18.2" (20" Incl. Side Tabs) x 12.8" Deep. NOW UL LISTED	2,830,000 ريال	CHINA
99	MTC-RG6/8	*Previously MTC-300RG8*. Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models". Fashionable Upscale Look, White, Metal, 13.6" Dia x 0.64" Deep. NOW UL LISTED	330,000 ريال	CHINA
100	MTC-300SG12	Contemporary Square Grille for 12" Models. Fashionable Upscale Look, White, Metal, 16.3" x 16.3" x 0.4" Deep. NOW UL LISTED	450,000 ريال	CHINA
101	MTC-300T150	150 Watt Transformer for Higher Output from a 70V or 100V System. Use with Non-T Version Loudspeakers. Mounts to Tabs Inside MTC-300BB12 Back Box (Does not Mount on Driver Assembly). 3.1" H x 3.4" W x 3.4" Deep. NOW UL LISTED	950,000 ريال	CHINA
102	Control Contractor In-Wall Speakers			
103	CONTROL 126W	Premium In-Wall Two-Way Loudspeaker with 6-1/2" (165 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 98 mm (3-7/8 in) Depth (For Wallboard Plus Stud). 88 dB Sensitivity, 100 Watts (50W RMS/200W Peak), 38 Hz to 20 kHz Frequency Response. Sold in Pairs, Priced as Each.	2,310,000 ريال	CHINA
104	CONTROL 126WT	Control 126W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 30W, 15W, and 7.5W (Plus 3.7W at 70V Only). (Priced as Each, Sold in Pairs).	2,540,000 ريال	CHINA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
105	CONTROL 128W	Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 102 mm (4 in) Depth (For Wallboard Plus Stud). 90 dB Sensitivity, 60 Watts RMS (120W Program/240W Peak), 30 Hz to 20 kHz Frequency Response.	2,850,000 ريال	CHINA
106	CONTROL 128WT	Control 128W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 50W, 25W, and 12W (Plus 6W at 70V Only). (Priced as Each, Sold in Pairs).	3,140,000 ريال	CHINA
107	Control Contractor Ceiling LoudSpeakers			
108	CONTROL 24C	4" Two-Way Vented Ceiling Speaker , 80Hz – 20kHz, 86dB Sensitivity, 80W Program and 40W Pink Noise Power Capacity, SonicGuard™ Overload Protection, 16 ohms, 130° Coverage, Packaged with Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	1,600,000 ريال	CHINA
109	CONTROL 24CT	Control 24C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 30W, 15W and 7.5W (Plus 3.7W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	1,710,000 ريال	CHINA
110	CONTROL 24C MICRO	4" Two-Way Ceiling Speaker , 15W Pink Noise, 30W Program Power Capacity. 8 ohms, Shallow 4" Back Depth. For Applications with Low Ceilings. Features Extremely Wide 150° coverage. Packaged with Backcan, Grille, Support Bracket and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	1,010,000 ريال	CHINA
111	CONTROL 24CT MICRO	Control 24C Micro with Transformer. For use on a 70.7V or 100V Distributed Line. Taps are 8W, 4W and 2W, 1W (and 1/2W at 70.7V only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	1,100,000 ريال	CHINA
112	C24CT MICROPLUS	Medium Output Ceiling Speaker Assembly. Complete Assembly Includes Backcan, Grille and Tile Rails. Very Wide 150° Coverage. Shallow 100 mm (4 in) Depth. 70V/100V Input Transformers with Taps at 25W and 12W (Plus 6W at 70V Only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	1,560,000 ريال	CHINA
113	CONTROL 26C	6.5" Two-Way Vented Ceiling Speaker , 75Hz – 20kHz, 89dB Sensitivity, 150W Program and 75W Pink Noise Power Capacity, SonicGuard Overload Protection, 16 Ohms, 100° Coverage, Packaged With Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	2,020,000 ريال	CHINA
114	CONTROL 26CT	Control 26C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	2,260,000 ريال	CHINA
115	CONTROL 26-DT	200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover Network and 70V/100V Transformer Assembly. Fits Standard Backcans for 8 Inch Speakers. Backcan must have 5+ inches depth. Coverage of 90°. Taps at 60W, 30W and 15W (Plus 7.5W at 70V Only). 1.9 kg (4.2 lb). Priced as Each, Packed as Pairs. See wb-site for list of compatible backcans and grilles.	1,470,000 ريال	CHINA
116	CONTROL 19CS	8" In-Ceiling Subwoofer , Nested Chamber™ Design, Linear Aperture™ Port, 42Hz – 200Hz, 200W Program and 100W Pink Noise Power Capacity, SonicGuard Overload Protection, 8 ohms. Packaged with Backcan, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	3,030,000 ريال	CHINA
117	CONTROL 19CST	Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	3,300,000 ريال	CHINA
118	Control Contractor Ceiling LoudSpeakers			

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
119	CONTROL 23	3.5" Two-Way Vented System, Invisibal® Installation System , 50W Program Power, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	1,600,000 ريال	CHINA
120	CONTROL 23-WH	Same as CONTROL 23, but in White.	1,600,000 ريال	CHINA
121	CONTROL 23T	Control 23 with Transformer. For use on 70.7V and 100V Distributed Lines, Single Power Tap, 5W at 70V, 10W at 100V. Black, priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	1,710,000 ريال	CHINA
122	CONTROL 23T-WH	Same as CONTROL 23T, but in White.	1,710,000 ريال	CHINA
123	CONTROL 25	5.25" Two-Way Vented System, Built-In Invisibal® Installation System , 150W Program Power, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	1,980,000 ريال	CHINA
124	CONTROL 25-WH	Same as CONTROL 25, but in White.	1,980,000 ريال	CHINA
125	CONTROL 25AV	Shielded Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, Built-In Invisibal® Installation System. Includes MTC-PC Sealed-Entrance Panel Cover. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	2,560,000 ريال	CHINA
126	CONTROL 25AV-WH	Same as CONTROL 25AV, but in White.	2,560,000 ريال	CHINA
127	CONTROL 25T	Control 25 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 30W , 15W and 7.5W (Plus 3.7W at 70.7V only). Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 6 pieces.	2,210,000 ريال	CHINA
128	CONTROL 25T-WH	Same as CONTROL 25T, but in White.	2,210,000 ريال	CHINA
129	CONTROL 28	8" Two-Way Vented System, Built-In Invisibal® Installation System , 175W Power Program, 8 ohms. Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	3,450,000 ريال	CHINA
130	CONTROL 28-WH	Same as CONTROL 28, but in White.	3,450,000 ريال	CHINA
131	CONTROL 28T-60	Control 28 with Transformer. For use on 70.7V and 100V Distributed Lines, Switchable Taps at 60W , 30W and 15W (Plus 7.5W at 70.7V Only). Black, Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	3,780,000 ريال	CHINA
132	CONTROL 28T-60-WH	Same as CONTROL 28T-60, but in White.	3,780,000 ريال	CHINA
133	C29AV-1	High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x 80° Coverage with Rotatable Horn. Built-In Invisibal® Installation System, plus Ten M6 Suspension Points. Kevlar Cone Woofer and Titanium Compression Driver. Includes Sonicguard® Overload Protection. Includes MTC-PC2 Sealed-Entrance Panel Cover.	5,900,000 ريال	CHINA
134	C29AV-WH-1	Same as C29AV-1, but in White.	5,900,000 ريال	CHINA
135	CONTROL 30	High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz – 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 4 ohm Bypass Position. Compact at 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 20.3 kg (42 lb).	10,030,000 ريال	CHINA
136	CONTROL 30-WH	Same as CONTROL 30, but in White.	10,030,000 ريال	CHINA
137	Control Contractor Surface Mount Subwoofers			
138	CONTROL SB-210	Compact, Low Profile, High Power Subwoofer with 2 x 260mm (10 In) Aluminum/Ceramic Composite Cone Drivers. 400 W Power Handling, Fully Outdoor Capable (IP-x5), Sonicguard™ Overload Protection, 13 M6 Suspension Points, Optional U-bracket. 42 Hz-200 Hz Frequency Range, 355 x 590 x 570 mm, (14 x 23.3 x 22.5 In). Available in Black.	8,330,000 ريال	CHINA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	CONTROL SB-210-WH	Same as Control SB-210, but in White.	8,330,000 رپياں	CHINA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
140	MTC-SB210-SAT	Adds Passive Crossover Network with High-Passed Output for Satellite Speakers and Internal Low-Pass. Stereo or Mono Configurable. Switch Allows for Either 4 ohm or 8 ohm Satellite Loads.	1,700,000 ريال	CHINA
141	MTC-210T	Adds Subwoofer-Band 70V/100V Transformers for Operation on a Distributed Speaker Line. Maintains Stereo/Mono Configurability. Taps at 125W+125W, 62+62W, 31W+31W (And 15W+15W for 70V Lines Only).	1,910,000 ريال	CHINA
142	MTC-210T-SAT	Provides BOTH Passive Crossover Network (Like MTC-210-SAT, with 4-ohm/8-ohm Satellite Load Selectability) AND Transformers for 70V/100V Distributed Speaker Lines (like MTC-210T, with Taps at 125W+125W, 62+62W, 31W+31W [and 15W+15W for 70V Lines Only]. Ma	2,680,000 ريال	CHINA
143	CONTROL SB-2	Slot-Loaded Vented Bandpass Subwoofer with Dual Voice-Coil 10" Transducer, Trapezoidal Enclosure for easy Corner Placement, 38Hz – 160Hz, 340W Program, 100dB Sensitivity, 8 ohm Stereo Inputs with High-Pass Satellite Outputs.	4,530,000 ريال	MEXICO
144	In-Wall Speakers Accessories			
145	MTC-126RIF	Rough-In Frame for Installing Control 126W to Studs in New Construction. Sold in Pairs, Priced as Each.	310,000 ريال	CHINA
146	MTC-128RIF	Rough-In Frame for Installing Control 128W to Studs in New Construction. Sold in Pairs, Priced as Each.	310,000 ريال	CHINA
147	Surface-Mount Arraying Brackets			
148	MTC-25/23H	Horizontal-Array Bracket for Two Control 23s or Control 25s, 60° Splay, Three Brackets Connect to Form Suspensible Assembly for Three or Six Speakers, Providing 360° Coverage.	1,030,000 ريال	USA
149	MTC-28H	Horizontal-Array Bracket for Two Control 28s, 60° Splay, Three Brackets Connect to Form Suspensible Assembly for Three or Six Speakers, Providing 360° Coverage.	1,060,000 ريال	USA
150	MTC-23V	Vertical-Array Wall Bracket for Three Control 23 Speakers.	1,030,000 ريال	USA
151	MTC-25V	Vertical-Array Wall Bracket for Three Control 25 Speakers.	1,060,000 ريال	USA
152	MTC-28V	Vertical-Array Wall Bracket for Three Control 28 Speakers.	1,090,000 ريال	USA
153	Surface-Mount Installation Accessories			
154	MTC-23CM	Ceiling-Mount Adapter for Control 23, Black. Each Pack Contains 2 Pieces.	170,000 ريال	USA
155	MTC-23CM-WH	Same as MTC-23, but in White.	170,000 ريال	USA
156	MTC-28/25CM	Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each Pack Contains 2 Pieces.	330,000 ريال	USA
157	MTC-28/25CM-WH	Same as MTC-28/25CM, but in White.	330,000 ريال	USA
158	MTC-29CM	Ceiling-Mount Adapter for Control 29AV, Black. Each Pack Contains 2 Pieces.	320,000 ريال	CHINA
159	MTC-29CM-WH	Same as MTC-29CM, but in White.	320,000 ريال	CHINA
160	MTC-29UB	U-Bracket for Control 29AV.	940,000 ريال	USA
161	MTC-29UB-WH	Same as MTC-29UB, but in White.	940,000 ريال	USA
162	MTC-30CM	Ceiling-Mount Adapter for Control 30, Black. Each Pack Contains 2 Pieces.	390,000 ريال	CHINA
163	MTC-30CM-WH	Same as MTC-30CM, but in White.	390,000 ريال	CHINA
164	MTC-30UB	U-Bracket for Control 30.	940,000 ريال	USA
165	MTC-30UB-WH	Same as MTC-30UB, but in White.	940,000 ريال	USA
166	MTC-210UB	U-Bracket for Control SB-210 Subwoofer, Black.	1,100,000 ريال	USA
167	MTC-210UB-WH	Same as MTC-210UB, but in White.	1,100,000 ريال	USA
168	MTC-SB2W	Bracket for installing Control SB-2 to Wall or Corner.	1,510,000 ريال	USA
169	MTC-SB2C	Bracket for Suspending Control SB-2 from a Ceiling.	1,170,000 ريال	USA
170	MTC-PC2	Panel Cover Provides Liquid-Tight Sealed Entrance for Input Terminal, also functions as Strain Relief, fits all Surface Models Except Control 18S (non-T). Each Pack Contains 2 Pieces.	270,000 ريال	USA
171	MTC-23SSG	Stainless Steel Replacement Grille for Control 23 Models, Silver.	170,000 ريال	CHINA
172	MTC-23SSG-BK	Same as above, painted Black.	170,000 ريال	CHINA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	MTC-23SSG-WH	Same as above, painted White.	170,000 رپياں	CHINA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
174	MTC-23WMG	WeatherMax™ Replacement Grille for Control 23 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, Black.	350,000 ريال	CHINA
175	MTC-23WMG-WH	Same as above, painted Black.	350,000 ريال	CHINA
176	MTC-25SSG	Stainless Steel Replacement Grille for Control 25 Models, Silver.	260,000 ريال	CHINA
177	MTC-25SSG-BK	Same as above, painted Black.	260,000 ريال	CHINA
178	MTC-25SSG-WH	Same as above, painted White.	260,000 ريال	CHINA
179	MTC-25WMG	WeatherMax™ Replacement Grille for Control 25 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, Black.	440,000 ريال	CHINA
180	MTC-25WMG-WH	Same as above, painted White.	440,000 ريال	CHINA
181	MTC-28SSG	Stainless Steel Replacement Grille for Control 28 and Control 18 Models, Silver.	400,000 ريال	CHINA
182	MTC-28SSG-BK	Same as above, painted Black.	400,000 ريال	CHINA
183	MTC-28SSG-WH	Same as above, painted White.	400,000 ريال	CHINA
184	MTC-28WMG	WeatherMax™ Replacement Grille for Control 28 Models. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, Black.		CHINA
185	MTC-28WMG-WH	Same as above, painted White.		CHINA
186	Ceiling Speaker Installation Accessories			
187	MTC-TCD	Thick-Ceiling Dogears for Ceilings up to 60 mm (2.5 inches) Thick. Fits Control 24C/CT Micro and MicroPlus, 24C/CT, 26C/CT, and 19CS/CST. 1 Kit Contains 24 pcs of Dogears. Priced Per Kit.		
188	MTC-24TR	Trim Ring for Retrofit Installations of Control 24 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10 Pieces.	1,760,000 ريال	USA
189	MTC-26TR	Trim Ring for Retrofit Installations of Control 26 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10 Pieces.	1,760,000 ريال	USA
190	MTC-24NC	Optional New Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	1,220,000 ريال	CHINA
191	MTC-24MR	Optional Mud (Plaster) Ring Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	1,610,000 ريال	CHINA
192	MTC-26NC	Optional New Construction Bracket for Control 26C and Control 26CT, Installs Before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	1,420,000 ريال	CHINA
193	MTC-26MR	Optional Mud (Plaster) Ring Construction Bracket for Control 26C and Control 26CT, Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	2,010,000 ريال	CHINA
194	MTC-19NC	Optional New Construction Bracket for Control 19CS, Control 19CST, Control 226C/T, MTC-300BB8 and MTC-200BB6. Installs before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	2,010,000 ريال	CHINA
195	MTC-19MR	Optional Mud (Plaster) Ring Construction Bracket for Control 19CS, Control 19CST, and Control 226C/T. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	2,840,000 ريال	CHINA
196				
197	SRX SERIES LOUDSPEAKERS (JBL022)			
198	SRX700 Series Loudspeaker			
199	SRX712M	12" Two-Way, Low-Profile Stage Monitor/Utility System in a Symmetrical Enclosure; Dual-Angle 36mm Pole Mount Socket; 2262H Differential Drive® LF; 2431H 3" (Diaphragm) HF on 90° x 50° Horn Passive or Bi-Amplified Operation.	16,530,000 ريال	MEXICO

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	SRX715	15" Two-Way System in a Trapezoidal Enclosure; Dual -Angle 36mm Pole Mount Socket; 2265H Differential Drive® LF; 2431H 3" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi- Amplified Operation.	20,470,000 ر.ي.د.	MEXICO
200				

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
201	SRX715F	Same as SRX715 with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	24,680,000 ريال	MEXICO
202	SRX718S	18" Compact Subwoofer; 2268H Differential Drive® Woofer; Top-Mounted M20 Threaded Pole Socket to Receive SS4-BK Adjustable Pole (See Accessories).	14,000,000 ريال	MEXICO
203	SRX722	Dual 12" Two-Way System in a Compact, Trapezoidal Enclosure; 2 x 2262H Differential Drive® LF; 2452H 4" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi-Amplified Operation.	25,080,000 ريال	MEXICO
204	SRX722F	Same as SRX722, with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	29,150,000 ريال	MEXICO
205	SRX725	Dual 15" Two-Way System in a Trapezoidal Enclosure; 2 x 2265H Differential Drive® LF; 2452H 4" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi-Amplified Operation.	27,080,000 ريال	MEXICO
206	SRX725F	Same as SRX725, with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	31,290,000 ريال	MEXICO
207	SRX728S	Dual 18", High Power Subwoofer; 2 x 2268H Differential Driver® LF, Rectangular, Bass Reflex Enclosure.	22,990,000 ريال	MEXICO
208	SRX738	18" Three-Way System in a Trapezoidal Enclosure; 1 x 2268H Differential Drive® LF; 2169H MF on CMCD™ Cone Midrange Compression Driver; 2431H 3" (Diaphragm) HF; 60° x 40° Coverage; Passive or Bi-Amplified Operation.	27,760,000 ريال	MEXICO
209	SRX738F	Same as SRX738 with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	31,540,000 ريال	MEXICO
210	Mounting and Suspension Accessories			
211	SRX-FF3	Detachable Flying Fittings for SRX700F Models (3 pcs.)	1,090,000 ريال	CHINA
212	229-00009-01	Set of 3 pcs M10 x 35 mm Forged Shoulder Steel Eyebolts. Note that Eyebolts do NOT come Standard with Loudspeakers.		
213	SRX712M-YK	Mounting and Suspension Yoke Accessory for SRX712M.	1,070,000 ريال	USA
214	SS2-BK	Tripod Stand for EON, JRX, MRX, PRX, SRX, and VRX	2,440,000 ريال	CHINA
215	SS4-BK	Adjustable Pole for use with SRX718S/VRX918S/VRX915S Subwoofer. M20 Threads on Bottom, 35mm Pole on Top.	1,560,000 ريال	GERMANY
216	Transport Accessories			
217	SRX712M-CVR	Padded Cover for SRX712M.	840,000 ريال	CHINA
218	SRX715-CVR	Padded Cover for SRX715 and SRX715F.	960,000 ريال	CHINA
219	SRX718S-CVR	Padded Cover for SRX718S.	1,300,000 ريال	CHINA
220	SRX722-CVR	Padded Cover for SRX722 and SRX722F.	840,000 ريال	CHINA
221	SRX725-CVR	Padded Cover for SRX725 and SRX725F.	1,300,000 ريال	CHINA
222	SRX728S-CVR	Padded Cover for SRX728S.	1,680,000 ريال	CHINA
223	SRX738-CVR	Padded Cover for SRX738 and SRX738F.	1,080,000 ريال	CHINA
224	WK-4S	Wheel Kit for SRX718S/VRX918S/VRX918S. 4 x Swivel Casters	980,000 ريال	CHINA
225				
226	MRX500 SERIES (JBL 023)			
227	MRX Passive Loudspeakers			
228	MRX512M	12" Two-way Portable Monitor or Front of House Speaker System. 400 watt Continuous Power Capacity. 12" Differential Drive Woofer and a 1.5" Annular Polymer Diaphragm Compression Driver, Duraflex™. Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	10,080,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4 229	MRX515	15" Two-way Portable Speaker System , 400 watt Continuous Power Capacity. 15" Differential Drive Woofer and a 1.5" Annular Polymer Diaphragm Compression Driver, Duraflex™. Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	10,320,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
230	MRX518S	Compact 18" Portable Subwoofer System , 500 watt Continuous Power Capacity. 18" VCG™ Woofer in a Duraflex™- Covered, 18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, and 35mm Pole Mount Cup, Non-Skid Rubber Feet.	10,080,000 ريال	USA
231	MRX525	Dual 15" Two-way Portable Speaker System , 800 watt Continuous Power Capacity. Two 15" Differential Drive Woofers and a 1.5" Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	14,630,000 ريال	USA
232	MRX528S	Dual 18" Portable Subwoofer System , 1000 watt Continuous Power Capacity. Two 18" VCG™ Woofer in a Duraflex™- Covered, 18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, Non Skid Rubber Feet.	14,630,000 ريال	USA
233	STUDIO MONITORS (JBL025)			
234	LSR4300 Series Studio Monitors	All Models Employ Linear Spatial Reference Technology, and DSP-Enabled JBL RMC™Room Mode Correction System for Greater Accuracy at the Mix Position. All Models are Magnetically Shielded, Have Intergrated Handles and Mounting Points for Use with Industry-		
235	LSR4328P	Bi-amplified Monitor with JBL DSP-Enabled RMC™ Room Mode Correction System. 438H 8" Polymer Coated Fiber Low Frequency Transducer with Self-Shielded Neodymium Magnet Structure, 431G 1" Soft Dome Tweeter with Self-Shielded Neodymium Magnet Structure and Ferro Fluid Cooling; 150 Watts amplification for LF, 70 Watts Amplification for HF; XLR and ¼" Balanced Analog Inputs; AES/EBU and S/PDIF Digital Inputs; Integrated Processing Provides Automated Room Mode Correction, and Compensation For Speaker-to-Speaker Placement Variations. Front Panel Includes Output Level Meter and User Controls. Harman HiQnet™ Network and USB Computer Interface Provide Centralized Control Of Entire System From Any Speaker, IR Remote Control or LSR4300 Control Center Software. (See LSR4300 Accessory Kit) Network Cable Included.	11,200,000 ريال	CHINA
236	LSR4328P/230	Same as LSR4328P but in 230v.	11,200,000 ريال	CHINA
237	LSR4328P/PAK	LSR4328P (x2) and LSR4300 Accessory Kit (x1).	22,420,000 ريال	CHINA
238	LSR4328PAK230	Same as above, but in 230v	22,420,000 ريال	CHINA
239	LSR4328P5.1	5.1 Surround System Including Five LSR4328P, One LSR4312SP Subwoofer and One LSR4300 Accessory Kit. (LSR4328PAK x 1; LSR4328P x 3; LSR4312SP x 1)		
240	LSR4328P5.1IN	5.1 Surround Sound System Int'l 230v		
241	LSR6326P	Same as LSR6328P Except: Incorporates 436H 6" Polymer Coated Fiber Low Frequency Transducer with Self-Shielded Neodymium Magnet Structure, and 431G 1" Soft Dome Tweeter with Self-Shielded Neodymium Magnet Structure and Ferro Fluid Cooling. 150 Watts Amplification for LF, 70 Watts Amplification for HF.	7,880,000 ريال	CHINA
242	LSR4326P/230	Same as LSR4326P but in 230v.	7,880,000 ريال	CHINA
243	LSR4326P/PAK	LSR4326P (x2) and LSR4300 Accessory Kit (x1).	15,770,000 ريال	CHINA
244	LSR4326PAK230	Same as above, but in 230v	15,770,000 ريال	CHINA
245	LSR4326P5.1	5.1 Surround System Including Five LSR4326P, One LSR4312SP Subwoofer and One LSR4300 Accessory Kit. (LSR4326PAK x 1; LSR4326P x 3; LSR4312SP x 1)		CHINA
246	LSR4326P5.1IN	5.1 Surround System Including Five LSR4326P, One LSR4312SPSubwoofer and One LSR4300 Accessory Kit. (LSR4326PAK x 1; LSR4326P x 3; LSR4312SP x 1)		CHINA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
247	LSR4312SP	Active Subwoofer amplified Monitor with DSP-Enabled RMC™ Room Mode Correction System for use LSR4328P and LSR4326P. 432G 12" Polymer Coated Fiber Woofer with Self-Shielded Neodymium Magnet Structure, 300watts Continuous Power Amplifier. Comprehensive Bass Management System with Selectable 50Hz, 80Hz, 120Hz Crossover Points. Balanced XLR and ¼" Inputs; Selectable +4, -10dB Sensitivity for Left, Right, Center, LFE, Left Surround and Right Surround Channels. Digital AES/EBU XLR and S/PDIF RCA 2 Channel Inputs. Front Panel Controls and SPL Display. RS485 Network and USB Computer Interface Provide Centralized Control Of Entire System From Any Speaker, IR Remote Control or LSR4300 Control Center Software" . (See LSR4300 Accessory Kit) *When Used with LSR4328P or LSR4326P and LSR4300 Accessory Kit.	14,520,000 ريال	CHINA
248	LSR4312SP/230	Same as LSR4312SP, but in 230v.	14,520,000 ريال	CHINA
249	LSR4300KIT	For Use with JBL LSR4328P, LSR4326P. Includes LSR4300 Measurement Microphone, Remote Control, LSR4300 Control Center Software, USB Cable and batteries. (Already included in LSR4328P/PAK and LSR4326P/PAK.)	3,300,000 ريال	CHINA
250	LSR6300 Series Studio Monitors	All Models Employ Linear Spatial Reference Technology, have Mounting Provisions and are THX ® pm3™ Approved.		
251	LSR6332L	Three-Way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite Magnetically-Shielded HF Transducer Mounted on EOS Waveguide. 4th-Order Linkwitz-Riley Crossover; -1 dB HF Trim. Dual Pairs of 5-Way Binding Posts; Bi-wire Capability. 200 watts RMS and 800 watts Peak Power Handling.	21,070,000 ريال	USA
252	LSR6332R	Three-way Mid-Field, 12" Differential Drive® Woofer; 5" Neodymium Magnetically-Shielded Midrange, 1" Titanium Composite Magnetically-Shielded HF Transducer mounted on EOS Waveguide. 4th-Order Linkwitz-Riley Crossover; -1 dB HF Trim. Dual pairs of 5-Way binding posts; Bi-Wire Capability. 200 watts RMS and 800 watts Peak Power Handling.	21,070,000 ريال	USA
253	LSR6328P	Bi-Amplified Monitor with New JBL RMC™ Room Mode Correction EQ Circuit. 8" Differential Drive® Low Frequency Transducer with Dynamic Braking, 1" Composite High Frequency Transducer Mounted on EOS Waveguide, 36 dB/Octave Crossover Slopes, 250 Watts RMS for LF, and 100 watts RMS for HF; XLR/1/4" Inputs, with Selectable +4, +8 dBu, -10 dBV Sensitivity, 3 Boundary Compensation Settings. Integrated Metal Handles.	18,690,000 ريال	USA
254	LSR6328P/PAK	LSR6328P (x2) and an RMC Calibration Kit	37,390,000 ريال	USA
255	LSR6328P/5.1	5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6328P (x5) and LSR6312SP (x1)	110,540,000 ريال	USA
256	LSR6328P/5.1INT	LSR6328P (x5) and an LSR6312SP/230 Featuring the RMC System.	110,540,000 ريال	USA
257	LSR6325P-1	Compact Bi-Amped Two-Way Near Field, 5.25" Low Frequency Transducer with SFG™, 1" Composite High Frequency Transducer Mounted on EOS Waveguide, 24 dB/octave Crossover Slopes, Active Drive Electronics for Spectral Balance Adjustments, 100 watts RMS for LF and 50 watts RMS for HF. XLR, +4 dBu, RCA -10 dBV inputs. Die-cast Enclosure, Fully Shielded. Black Powder Coat Finish.	5,840,000 ريال	CHINA
258	LSR6325P-1/230	Same as LSR6325P-1, but in 230v.	5,840,000 ريال	CHINA
259	LSR6325P/5.1	5.1 Surround System with RMC Room Mode Correction and RMC Calibration Kit. Includes LSR6325P (x5) and LSR6312SP (x1)	49,600,000 ريال	CHINA
260	LSR6325P/5.1INT	LSR6325P/230 (x5) and an LSR6312SP/230 Featuring the RMC System	49,600,000 ريال	CHINA
261	LSR25PTOTE	Soft Carry Case, With Wheels, Holds a Pair of LSR6325P or LSR25P.	2,000,000 ريال	CHINA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
262	LSR6312SP	Active Subwoofer with new JBL RMC™ Room Mode Correction EQ circuit. Comprehensive bass management system accommodates all surround formats. XLR/1/4" inputs with selectable +4, +8 dBU, -10 dBV sensitivity. Boundary compensation; LCR, and Direct LFE input; Summed output; Subwoofer remote bypass jack; 12" Differential Drive® Woofer, 260 Watts Continuous Power Amplifier	22,840,000 ريال	USA
263	LSR6312SP/230	Same as above, but in 230v	22,840,000 ريال	USA
264				
265	RMC Calibration Kit - 351145 -001	For Use with JBL LSR6328P and LSR6312SP. Everything Needed to Measure Room, Identify Room Modes, and Adjust the RMC System. Includes sound level meter, test CD, Q template, adjustment tool, RMC remote bypass switch, battery, and instructions		
266				
267	CONE TRANSDUCERS (JBL026)			
268	Low Frequency Transducers			
269	2206H	12" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	4,310,000 ريال	USA
270	2226H	15" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	4,750,000 ريال	USA
271	2226J	15" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 16 ohms.	4,750,000 ريال	USA
272	2241H	18" High Power, Low Frequency, 600W AES Vented Gap Cooling™, 8 ohms.	7,280,000 ريال	USA
273	2242H	18" Maximum Output, 800W AES Super Vented Gap Cooling™, 8 ohms.	11,010,000 ريال	USA
274				
275	COMPRESSION DRIVERS (JBL027)			
276	2426H	Compression Driver, 1.75" Titanium Diaphragm, 8 ohms.	4,930,000 ريال	USA
277	2426J	Compression Driver, 1.75" Titanium Diaphragm, 16 ohms.	4,930,000 ريال	USA
278	2446H	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 8 ohms.	9,220,000 ريال	USA
279	2446J	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 16 ohms	9,220,000 ريال	USA
280	2447H	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 8 ohms.	9,780,000 ريال	USA
281	2447J	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, 16 ohms.	9,780,000 ريال	USA
282	2450H	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Assembly, 8 ohms.	15,250,000 ريال	USA
283	2450J	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Assembly, 16 ohms.	15,250,000 ريال	USA
284	2451H	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Structure, 8 ohms.	17,480,000 ريال	USA
285	2451J	Compression Driver, 4" Ribbed Titanium Diaphragm, Coherent Wave™ Phasing Plug, Neodymium Rare-Earth Magnet Structure, 16 ohms.	17,480,000 ريال	USA
286	BI-RADIAL HORNS (JBL028)			
287	2360B	Bi-Radial® Horn, Constant Coverage 90° x 40°, 2" Throat, 350 Hz. (Replaces 2360A).	12,050,000 ريال	USA
288	2370A	1" Flat-Front Bi-Radial® Horn, 90° x 40°, 800 Hz.	1,900,000 ريال	USA
289	2380A	2" Medium Format Flat-Front Bi-Radial® Horn, 90° x 40° Nominal Pattern, 500Hz.	2,300,000 ريال	USA
290	2382A	2" Medium Format Flat-Front Bi-Radial® Horn, 120° x 40° Nominal Pattern, 500Hz.	3,430,000 ريال	USA
291	2385A	2" Medium Format Flat-Front Bi-Radial® Horn, 60° x 40° Nominal Pattern, 500Hz.	2,110,000 ريال	USA
292	2506C	Heavy Duty Steel Adjustable-Position Mounting Bracket for 2360B, 2365A and 2366A Constant Coverage Bi-Radial® Horns (Replaces 2506B).	2,610,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
293	2509A	Three-Way Adjustable-Position Mounting Bracket for 2380 Series Flat-Front Bi-Radial® Horns and 2350 Series Bi-Radial® Horns (Not for Suspension).	1,690,000 ريال	USA
294				
295	CONTROL SERIES MONITORS (JBL029)			
296	C1PRO	Two-Way, Professional Compact Loudspeaker , 150 Watts, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Magnetically Shielded Transducers, SonicGuard™ Overload Protection, Mounting Bracket Included. Priced as each, Sold in Pairs	1,270,000 ريال	CHINA
297	C1PRO-WH	Same as C1PRO, but in White.	1,270,000 ريال	CHINA
298	CONTROL 5	Compact Size Two-Way , 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, Black, Priced as Each. Master Pack Quantity: 2 Pieces.	2,710,000 ريال	CHINA
299	CONTROL 5-WH	Same as CONTROL 5, but in White.	2,710,000 ريال	CHINA
300	Control Series Accessories			
301	MTC-8	Low Cost, Fixed Angle Wall-Mount Bracket , Black, for Control 1 And Control 1C. Master Pack Quantity: 2 Pieces.		USA
302	MTC-51	Wall-Mount Bracket , Polymer Ball and Clamp Design, Black. Master Pack Quantity: 6 Pieces.	1,230,000 ريال	USA
303	MTC-51-WH	Same as MTC-51, but in White.	1,230,000 ريال	USA
304	MTC-52	Ceiling-Mount Bracket , Polymer Ball and Clamp Design, Black. Master Pack Quantity: 6 Pieces.	1,300,000 ريال	USA
305	MTC-52-WH	Same as MTC-52, but in White.	1,300,000 ريال	USA
306				
307	CINEMA SYSTEMS (JBL030)			
308	Theatre Sound Systems			
309	3631	Three-way ScreenArray for Small to Medium Cinemas and Post Production, with single 15" LF Section. For Bi-amp Applications. Flat Front design for Easy Bafflewall Installation. Ready to Use Mid High Section Completely Assembled and Pre-Aimed. Components: 5641 Single 15" Low Freq. Section, 3632-M/HF Mid-High Freq. Section.	28,950,000 ريال	USA
310	3631T	Three-way ScreenArray for Small to Medium Cinemas and Post Production, with single 15" LF Section. For Tri-amplified Applications. Flat Front Design for Easy Bafflewall Installation. Ready to Use Mid High Section Completely Assembled and Pre-Aimed. Components: 5641 Single 15" Low Freq. Section, 3632-M/HF-T Mid-High Section. <i>Approved by Lucasfilm, Ltd. For THX® System Installations</i>	30,560,000 ريال	USA
311	3622N	Two-way Screen Array® for Small Cinemas. For Passive Applications, 400 Watts, Dual 15" Low Frequency Section (3639) with 90° x 50° 2374 Screen Array® Horn, 1.75" 2418H-1 Driver and Bracket (3622N-HF). High Frequency Section Comes Fully Assembled. Crossover Freq. 1300 Hz, 4 ohms, Frequency Range 30 Hz-20 kHz.	13,780,000 ريال	USA
312	3632	Three-Way Screen Array® for Small to Medium Cinemas. For Bi-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Ready to Use-Mid/High Section Completely Assembled and Pre-Aimed. Components: 3639 Low Frequency Section, 3632-M/HF Mid-High Frequency Section.	26,410,000 ريال	USA
313	3632T	Three-Way Screen Array® for Small to Medium Cinemas For Tri-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Ready to Use-Mid/High Section Completely Assembled and Pre-Aimed. Components: 4639 Low Frequency Section, 3632-M/HF-T Mid-High Frequency Section. <i>Approved by Lucasfilm, Ltd., for THX® System Installations.</i>	31,680,000 ريال	USA
314	3677	Single Enclosure , Shallow Profile, Components: 2035H, 2416-1 Driver, 2373 Horn in Shallow Depth Enclosure.	9,730,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	3678	High Power, Shallow Profile, Bi-Amplified or Passive Mode Using Switch able Built-In Network. Components: 3678-HF, 3678LF, <i>Approved by Lucasfilm, Ltd., for THX® System Installations</i> In Rooms Up to 1,274 m3 (45,000ft3) in Volume, And Screen-to-Last Row Distances up to 12m (40ft).	17,490,000 ريال	USA
315	4622	Two-way Screen Array® for Small to Medium Cinemas. For Bi-Amp Applications, 600 Watts, Dual 15" Low Frequency Section (4639) with 90° x 50° 2384 Screen Array® Horn, 3" 2430H Driver and Bracket (4622-HF). High Frequency Section Comes Fully Assembled. Crossover Freq. 630 Hz, 4 ohms, Frequency Range 30 Hz-20 kHz.	19,080,000 ريال	USA
316	4622N	Two-way Screen Array® for Small to Medium Cinemas. For Passive Amplications, 4622 Model with Network.	20,230,000 ريال	USA
317	4632	Three-Way Screen Array® for Medium to Large Cinemas For Bi-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Ready to Use-Mid/High Section Completely Assembled and Pre-Aimed. Components: 4639 Low Frequency Section, 4632-M/HF Mid-High Frequency Section.	38,140,000 ريال	USA
318	4632T	Three-Way Screen Array® for Medium to Large Cinemas. For Tri-Amp Applications. Flat Front Design for Easy Bafflewall Installation. Ready to Use-Mid/High Section Completely Assembled and Pre-Aimed. Components: 4639 Low Frequency Section, 4632-M/HF-T Mid-High Frequency Section. <i>Approved by Lucasfilm, Ltd., for THX® System Installations.</i>	38,140,000 ريال	USA
319	4670D	Direct-Radiator High Power System. Components: 4638TH, 4670D-HF.	25,840,000 ريال	USA
320	4675C	Direct-Radiator High Power Large System. Components: 4638TH, 4675C-HFA.	34,370,000 ريال	USA
321	4675C-4LF	Direct-Radiator High Power Large System for Bi-Amplified Applications, 4 ohm Low Frequency Section, 8ohm High Frequency Section. Components: 4648A, 4675C-HFA.	33,920,000 ريال	USA
322	4675C-8LF	Direct-Radiator High Power Large System for Bi-Amplified Applications, 8 ohm Low Frequency Section, 8 ohm High Frequency Section, Components: 4648A-8, 4675C-HFA, <i>Approved by Lucasfilm, Ltd., for THX® System Installations.</i>	34,280,000 ريال	USA
323	5672	Mid-Size Three-Way Screen Channel System, Dual Woofer. For Tri-Amplified Applications. Components: 4648A, 5674-M/HF, <i>Approved by Lucasfilm, Ltd., for THX® System Installations.</i>	65,730,000 ريال	USA
324	5672BI	Bi-Amplified Version of 5672 with 3172 Crossover.	67,110,000 ريال	USA
325	5674	Large Three-Way Screen Channel System, Quad Low Frequency Cabinet, for Tri-Amplified Applications. Components: 5644, 5674-M/HF, <i>Approved by Lucasfilm, Ltd., for THX® System Installations.</i>	81,430,000 ريال	USA
326				
327	Low Frequency Sections			
328	3639	4 ohm Low Frequency Section for 3632 System. Components: Two M115-8A Installed in 3639 Enclosure.	11,320,000 ريال	MEXICO
329	3678-LF	8 ohm Low Frequency Section for 3678 System. Components: 2226H Installed in 3678-LF Enclosure with Internal Crossover Network.	10,800,000 ريال	MEXICO
330	4638	4 ohm Low Frequency Cabinet. Components: Two 2035H Installed in 4508A Enclosure.	15,140,000 ريال	MEXICO
331	4638TH	4 ohm Low Frequency Section for 4670D and 4675C Systems. Components: Two 2035H with Crossover Network Installed in 4508A Enclosure.	15,950,000 ريال	MEXICO
332	4639	4 ohm Low Frequency Section for 4632, 4632T and 3632T Systems. Components: Two 2035H-1 Installed in a 4639 Enclosure.	15,000,000 ريال	MEXICO
333	4648A	4 ohm Low Frequency Section for 4675C-4LF System. Components: Two 2226H Installed in 4508A Enclosure.	16,240,000 ريال	MEXICO

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
334	4648A-8	8 ohm Low Frequency Section for 4675C-8LF System. Components: Two 2226J Installed in 4508A Enclosure, Approved by Lucasfilm, Ltd., for THX® System Installations.	16,240,000 ريال	MEXICO

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
335	High Frequency Sections			
336	3622N-HF	High Frequency Section for 3622N System. Components: 2374HF Horn and One 2418H-1 Driver, Passive Network, Pre-Assembled and Pre-Aimed.	4,880,000 ريال	USA
337	3632-M/HF	Mid/High Frequency Section for 3632 System. Components: Two 165H Mid Frequency and One 2418H-1 High Frequency, Pre-Assembled and Pre-Aimed.	15,100,000 ريال	USA
338	3632-M/HF-T	Mid/High Frequency Section for 3632T System. Components: Two 165H Mid Frequency and One 2418H-1 High Frequency, Pre-Assembled and Pre-Aimed. Approved by Lucasfilm, Ltd., for THX® System Installations.	16,680,000 ريال	USA
339	4622-HF	High Frequency Section for 4622 System. Components: 2384HF Horn and One 2430H Driver, Pre-Assembled and Pre-Aimed.	6,760,000 ريال	USA
340	4622N-HF	High Frequency Section for 4622 System. Components: 2384HF Horn and One 2430H Driver, Passive Network, Pre-Assembled And Pre-Aimed.	7,800,000 ريال	USA
341	4632-M/HF	Mid/High Frequency Section for 4632 System. Components: Four 165H 6.5"Mid Range and One 2425HS High Frequency, Pre-Assembled and Pre-Aimed. Approved by Lucasfilm, Ltd., for THX® System Installations.	23,170,000 ريال	USA
342	4632-M/HF-T	Mid/High Frequency Section for 4632T System. Components: Four 165H 6.5"Mid Range and One 2425HS High Frequency, Pre-Assembled and Pre-Aimed. Approved by Lucasfilm, Ltd., for THX® System Installations.	23,170,000 ريال	USA
343	3678-HF	High Frequency Section with Horn Bracket for 3678 System. Components: 2425HS, 2342, Bracket.	6,690,000 ريال	USA
344	4670D-HF	High Frequency Section with Swivel Horn Bracket for 4670D System, Components: 2446H, 2380A, 2509A.	10,920,000 ريال	USA
345	4675C-HFA	High Frequency Section with Swivel Horn Bracket for 4675C, 4675C-4LF and 4675C-8LF System. Components: 2446H, 2360B, 2506C.	19,060,000 ريال	USA
346	5674-M/HF	Mid/High Frequency Section for 5672 and 5674 System. Components: 2392, 2490H, 2352 and 2451H.	52,610,000 ريال	USA
347	Subwoofer Sections			
348	3635	8 ohm, Single 18" Bass Reflex Subwoofer System, Shallow Profile. Components: Single 2042H, 300 watts.	9,680,000 ريال	MEXICO
349	4641	8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2241H Installed in a Single 18" Enclosure, 600 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.	10,990,000 ريال	MEXICO
350	4642A	4 ohm, Dual 18" Bass Reflex Subwoofer System. Components: Two 2241H Installed in Dual 18" Enclosure, 1200 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.	21,690,000 ريال	MEXICO
351	4642A-GS	4 ohm, Dual 18" Bass Reflex Subwoofer System with Grille. <i>Approved by Lucasfilm, Ltd., for THX® System Installations.</i>	23,850,000 ريال	MEXICO
352	4645C	8 ohm, Single 18" Bass Reflex Subwoofer System. Components: 2242H Installed in 4518A Enclosure, Single Port, 800 watts. Approved by Lucasfilm, Ltd., for THX® System Installations.	15,140,000 ريال	MEXICO
353	Surround Systems			
354	3310	Two-Way Surround System, 8" Low Frequency Driver, 1" Dome Tweeter, HF Protection Circuit, 8 ohms. Packed 2 Pieces Per Master Pack.	2,990,000 ريال	MEXICO

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
356	8340A	Two-Way Surround System , High Power, 250 watts. Convenient Mounting Design uses JBL Quick-Mount® Brackets, Design Shape Incorporates 20° Angled Front Baffle, Black Rigid Molded Enclosure, Input Terminals Located on Top Of Cabinet For Quick Access, Net Weight 19 lbs., Approved by Lucasfilm, Ltd., for THX® System Installations. Packed 2 Pieces Per Master Pack.	6,070,000 ريال	MEXICO
357	System Accessories			
358	2502	Wall Mount U-Bracket for 8300 Series and 3310 Surrounds.	630,000 ريال	USA
359	2506C	Heavy-Duty Steel Adjustable-Position Mounting Bracket for 2360B and 2365A Constant-Coverage Bi-Radial® Horns. (Replaces 2506B).	2,610,000 ريال	USA
360	2509A	Three-Way Adjustable-Position Mounting Bracket for 2380 Series Flat-Front Bi-Radial® Horns and 2350 Series Bi-Radial® Horns (Not for Suspension).	1,690,000 ريال	USA
361	2516	Quick-Mount® Fixed Angle Bracket for 8330A and 8340A. Packed 2 Pieces Per Master Pack.	400,000 ريال	USA
362	2517	Adjustable Bracket for 8330A and 8340A. Packed 2 Pieces Per Master Pack.	660,000 ريال	USA
363				
364	VP SERIES - VENUE PERFORMANCE (JBL036)			
365	VP Series Models			
366	New 10" Two-Way and 12" Floor Monitor Powered Systems			
367	VP7210/95DP	Powered High-Output 2-Way Full-Range Fill Loudspeaker with 1 x 10" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Utilizes Compact DPC-2 Amplifier Module with Analog Input. Six M10 Suspension Points. Suspension Requires M10 Eyebolts Sold Separately. Available in Black Only.	42,490,000 ريال	USA
368	VP7212MDP	Powered High-Output 2-Way Stage-Monitor Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 50° x 90° Coverage, Bi-Amplified. Utilizes Compact DPC-2 Amplifier Module with Analog Input. Optimized for Use as Stage-Monitor. Available in Black Only.	43,930,000 ريال	USA
369	Current VP Series Models Now Available with Standard dbx (Non-Network) Input Module			
370	VP7215/95DP	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	67,300,000 ريال	USA
371	VP7215/64DP	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	67,300,000 ريال	USA
372	VP7212/95DP	Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 90° x 50° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	63,410,000 ريال	USA
373	VP7212/64DP	Powered High-Output 2-Way Full-Range Loudspeaker with 1x 12" LF & 1 x 1.5" exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	63,410,000 ريال	USA
374	VP7315/64DP	Powered High-Output 3-Way Full-Range Loudspeaker with 1 x 15" LF, 1 x 8" MF, & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	84,540,000 ريال	USA
375	VPSB7118DP	Powered High-Output Single 18" Subwoofer. Eight 3" Flytrack and Twenty-Four M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	63,410,000 ريال	USA
376	VP Series Models			

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
377	VP7215/95DPAN	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	79,320,000 ريال	USA
378	VP7215/95DPCN	VP7215/95DPCN (Optional CobraNet™ Input Module)	86,890,000 ريال	USA
379	VP7215/64DPAN	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	79,320,000 ريال	USA
380	VP7215/64DPCN	VP7215/64DPCN (Optional CobraNet™ Input Module)	86,890,000 ريال	USA
381	VP7212/95DPAN	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 90° x 50° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	74,260,000 ريال	USA
382	VP7212/95DPCN	VP7212/95DPCN (Optional CobraNet™ Input Module)	81,810,000 ريال	USA
383	VP7212/64DPAN	Powered High-Output 2-Way Full-Range Loudspeaker with 1 x 12" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black Only.	74,260,000 ريال	USA
384	VP7212/64DPCN	VP7212/64DPCN (Optional CobraNet™ Input Module)	81,810,000 ريال	USA
385	VP7315/64DPAN	Powered High-Output 3-Way Full-Range Loudspeaker with 1 x 15" LF & 1 x 1.5" Exit HF 60° x 40° Coverage, Bi-Amplified. Six 3" Flytrack and Fourteen M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	102,860,000 ريال	USA
386	VP7315/64DPCN	VP7315/64DPCN (Optional CobraNet™ Input Module)	110,840,000 ريال	USA
387	VPSB7118DPAN	Powered High-Output Single 18" Subwoofer 1 x 18" 2268G Differential Driver™ Woofer. Eight 3" Flytrack and Twenty-Four M10 Suspension Points. Suspension Requires Detachable Flying Fittings or M10 Eyebolts Sold Separately. Available in Black only.	74,260,000 ريال	USA
388	VPSB6118DPCN	VPSB6118DPCN (Optional CobraNet™ Input Module)	81,810,000 ريال	USA
389	VP SERIES BRACKETS & RIGGING ACCESSORIES			
390	PA7212-2	Two Wide Planar Array Kit for VP7212 Loudspeaker System	8,430,000 ريال	USA
391	PA7215-2	Two Wide Planar Array Kit for VP7215 Loudspeaker System	14,700,000 ريال	USA
392	PA7315-2	Two Wide Planar Array Kit for VP7315 Loudspeaker System	13,620,000 ريال	USA
393	PA7212-18V	Planar Array Kit for Rigging Two VP7212 Loudspeakers Under One VPSB7118 Subwoofer System in a Vertical Array	17,290,000 ريال	USA
394	PA7212-18H	Planar Array Kit for Rigging One VPSB7118 Subwoofer System with a VP7212 Loudspeaker System on each Side in a Horizontal Array	17,270,000 ريال	USA
395	MTU7212	U-Bracket for VP7212 LoudSpeaker System	4,890,000 ريال	USA
396	MTU7215	U-Bracket for VP7215 Loudspeaker System	6,270,000 ريال	USA
397	YM7212-15	Yoke Mount (Pan & Tilt) for VP7212 and VP7215 Loudspeaker Systems		USA
398	SM7200	Stand Mount for VP7210, VP7212 and VP7215 Loudspeaker Systems	3,380,000 ريال	USA
399	229-00009-01	Set of 3 Pcs M10 x 35 mm Forged Shoulder Steel Eyebolts. Note That Eyebolts do NOT come Standard with Loudspeaker.		USA
400	364287-001	1 pc M8 x 35 mm Forged Shoulder Steel Eyebolts. Note That Eyebolts do NOT come Standard with Loudspeaker.		USA
401	SRX-FF3	Set of 3 pcs Detachable Flying Fittings for VP Series Loudspeaker Models.	1,110,000 ريال	USA
402	PM42	42" Pole for use with SM7200 when pole mounting VP7210, VP7212, and VP7215 over a VPSB7118		
403				
404	VP SERIES ADDITIONAL ACCESSORIES			

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
405	VP7210-CVR	Padded Cover for VP7210	1,510,000 ريال	USA
406	VP7212M-CVR	Padded Cover for VP7212M	1,750,000 ريال	USA
407	VP7212-ACC	Padded Cover for VP7212	2,120,000 ريال	USA
408	VP7215-ACC	Padded Cover for VP7215	2,490,000 ريال	USA
409	VP7315-ACC	Accessory Kit for VP7315. Includes Padded Cover and Dolly Wheelboard.	10,700,000 ريال	USA
410	VP7118-ACC	Accessory Kit for VPSB7118. Includes Padded Cover and Dolly Wheelboard.	10,700,000 ريال	USA
411				
412	MARQUIS SERIES INSTALLATION LOUDSPEAKERS(JBL039)			
413	MS26	100° x 70° Two-Way Full Range System , 150W; Components: LF 2x 150mm (6"), HF 100° x 70° Elliptical Waveguide; Specifications: 45 Hz-20 kHz, 91 dB (1W, 1m), 150W Continuous Pink Noise; Features: 100° x 70° Elliptical Waveguide, Suspension Points, Yoke Bracket Included, Weather Resistant; H x W x D: 599 x 217 x 241 mm (24" x 8.6" x 9.5").	12,980,000 ريال	USA
414	MS26-WH	Same as MS26, but in White.	12,980,000 ريال	USA
415	MS28	100° x 80° Two-Way Full Range System , 200W; Components: LF 2x 200mm (8"), HF OASR Waveguide; Specifications: 40 Hz-20 kHz, 94 dB (1W, 1m), 200W Continuous Pink Noise; Features: 85° x 85° OASR Waveguide Allows Vertical or Horizontal Box Orientation, Built-In Suspension Points, Yoke Bracket included, Weather Resistant; H x W x D: 676 x 291 x 321 mm (26.6" x 11.5" x 12.65").	14,780,000 ريال	USA
416	MS28-WH	Same as MS28, but in White.	14,780,000 ريال	USA
417				
418	VerTec® (JBL045)			
419	VerTec® FULLSIZE ARRAYABLE SUBWOOFERS			
420	VT4880	2 x 18" Arrayable Subwoofer for suspension or ground-stacking. Two 2258H 18" Neodymium Magnet, Differential Drive Direct Cooled low frequency loudspeakers. Centrally-vented trapezoid enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, ten handles. Integral end-mounted rigging frames, fully compatible with VT4889 full range line array elements to form articulated line arrays. Suspend with VT4889-AF and/or VT4889-SF Array Frame. Order available –ACC Kit to receive hingebars, dolly and cover. (71.2 kg / 157 lb)	61,480,000 ريال	USA
421	VT4880-ACC	Accessory Kit for VT4880 subwoofer is sold and shipped as a separate item. Includes all items necessary for proper transport, protection and rigging of one VT4880: (1) VT4880-DOLLY, (1) VT4880-COVER, and (1) VT4889-RIG (set of four required hinge bars for suspension of the enclosure in arrays). Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black. Important Note: order one VT4880-ACC with each VT4880. (20 kg / 50 lb)	14,220,000 ريال	USA
422	VT4880A	2 x 18" Ultra Long Excursion, High Power Handling Arrayable Subwoofer line array element for suspension or ground stacking. Two new 2269H 457 mm (18") Neodymium Magnet, Differential Drive Direct Cooled low frequency loudspeakers each with 2000W AES/8000W Peak Power Handling. Centrally-vented trapezoid enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, twelve handles. Both NL8, NL4 connectors installed. Integral end-mounted rigging frames, fully compatible with VT4889 full range line array elements to form articulated line arrays. Ships with hingebars. Suspend with VT4889-AF or VT4889-SF Array Frame. (83.9 kg / 185 lb)	85,310,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
423	VT4880A-ACC	Accessory Kit for VT4880A Subwoofer is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4880A: (1) VT4880-DOLLY, (1) VT4880-COVER. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black. Important Note: Order one VT4880A-ACC with each VT4880A. (20 kg / 42 lb)	10,810,000 ريال	USA
424	VerTec® COMPACT ARRAYABLE SUBWOOFER			
425	VT4881A	1 x 18" Compact Very Low Frequency Arrayable Subwoofer. Replaces VT4881. Changes include one 2269H 18" Ultra Long Excursion dual-coil Differential Drive® 2000W/AES woofer. Now includes both NL4 and NL8 connectors. Ships with hingebrs. Order available VT4881-ACC Kit to receive dolly and cover. (51.3 kg / 113 lb)	51,040,000 ريال	USA
426	VT4881-ACC	Accessory Kit for VT4881A midsize line array element is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4881A: (1) protective cover/dolly wheelboard, and (1) cover. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black.	9,000,000 ريال	USA
427	VerTec® MIDSIZE ARRAYABLE SUBWOOFER			
428	VT4882	2 x 15" Midsize Arrayable Subwoofer for Suspension or Ground-Stacking. Two 2266H 381 mm (15") Differential Drive® Cooled Neodymium Magnet low Frequency Loudspeakers. Centrally-vented Trapezoidal Enclosure, PlyMax® Engineered Panels, Perforated Steel Grille with Foam Backing, 8 Handles. Integral End-Mounted Rigging Tubes, Fully Compatible with VT4888 Full Range Line Array Elements to Form Articulated Line Arrays. 28 Hz to 120 Hz Frequency Range. 137 dB, 1m. Suspend with VT4888-AF and/or VT4888-SF. Ships with hingebrs. Order available -ACC Kit to receive dolly and cover. (18 x 39.9 x 33.8 in) (57.2 kg / 126 lb).	59,170,000 ريال	USA
429	VT4882-ACC	Accessory Kit for VT4882 Midsize Subwoofer. Includes Items Necessary for Transport and Protection of One VT4882: (1) VT4882 -Dolly and (1) VT4882- Cover. Dolly has Integral Handles, Plywood, Black. Sold and Shipped Separately. 165.5 x 1013 x 546 mm (6.5 x 43.5 x 21.5 in) 18. 1 kg (40 lb).	9,750,000 ريال	USA
430	VerTec® COMPACT LINE ARRAY ELEMENT. EXTENDED LF RESPONSE			
431	VT4887A	Bi-Amplified Three-Way High Directivity Compact Line Array Element. Replaces VT4887. Two 2168J-1 8" Differential Drive® loudspeakers with extended low frequency response; four 5.5" 2106H midrange, cone transducers, and two 2408H compact neodymium ring radiators with 1" exit. Now includes both NL4 and NL8 connectors. Ships with hingebrs. Order available VT4887-ACC Kit to receive dolly and cover. (29.9 kg / 66 lb)	61,850,000 ريال	USA
432	VT4887-ACC	Accessory Kit for VT4887A compact line array element is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4887A: (1) protective cover/dolly wheelboard; and (1) cover. Dolly is plywood, black. Cover is rugged soft padded bag with straps, black	7,460,000 ريال	USA
433	VT4887-AF	Array Frame for suspending VT4887A or VT4881A enclosures in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 6 units. Aluminum, black. (36 kg / 80 lb)	36,190,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
434	VT4887-SF	Short Frame for suspending VT4887A or VT4881A enclosures in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 4 units. Aluminum, black. (18 kg / 40 lb)	24,260,000 ريال	USA
435	VT4887A-ASP	Acoustical Spares Kit for VT4887A. Includes (1) 2168J-1 8" speaker, (2) 2104H midrange speaker, and (2) 2408H high frequency drivers. Recommend purchase (1) VT4887A-ASP for each (12) enclosures used in portable or touring conditions	14,170,000 ريال	USA
436	VT4887-MSP	Mechanical Spares Kit for VT4887A or VT4887. Includes quantity of screws, lanyards, and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) rigging tube set w/screws, (2) rear hingebars, (2) front hingebars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. Recommend purchase (1) VT4887-MSP for each (12) enclosures used in portable or touring conditions.	13,310,000 ريال	USA
437	VerTec® MIDSIZE LINE ARRAY ELEMENT			
438	VT4888	Three-Way High Directivity Midsize Line Array Element. Precision waveguides, Radiation Boundary Integrators, two 2162H 12" Differential Drive® low frequency loudspeakers, four 2106H midrange cone transducers, two 2431H compact neodymium compression drivers with 3" diameter diaphragm, axially-symmetrical enclosure, PlyMax® engineered panels, integrated rigging, perforated steel grilles with foam backing, six handles. Pre-engineered to accept optional DrivePack® self-amplification module with integral signal processing. Combine to form articulated line arrays. Ships with hingebars. Order available –ACC Kit to receive dolly and cover. (52.2 kg / 115 lb)	92,650,000 ريال	USA
439	VT4888-ACC	Accessory Kit for VT4888 midsize line array element is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4888: (1) protective cover/dolly wheelboard, and (1) cover. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black.	7,630,000 ريال	USA
440	VT4888-AF	Array Frame for suspending VT4888 or VT4882 enclosures. Also enables ground-stacking up to 6 units. Aluminum, black. (38 kg / 83 lb)	39,420,000 ريال	USA
441	VT4888-SF	Short Frame for suspending VT4888 or VT4882 enclosures in an array or for use as bottom anchor on large arrays. Also enables ground-stacking up to 4 units. Aluminum, black. (19 kg / 42 lb)	24,600,000 ريال	USA
442	VT4888-ASP	Acoustical Spares Kit for VT4888. Includes (1) 2262H 12" speaker, (2) 2106H midrange speakers, and (2) diaphragm kits for 2431H compression driver. Recommend purchase (1) VT4888-ASP for each (12) enclosures used in portable or touring conditions.	26,480,000 ريال	USA
443	VT4888-MSP	Mechanical Spares Kit for VT4888. Includes quantity of screws, lanyards, and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) rigging tube set w/screws, (2) rear hingebars, (2) front hingebars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. Recommend purchase (1) VT4888-MSP for each (12) enclosures used in portable or touring conditions	13,640,000 ريال	USA
444	VerTec® FULLSIZE LINE ARRAY SYSTEM ELEMENT, COMPOSITE ENCLOSURE			

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
445	VT4889	Three-Way High Directivity Full Size Line Array Element Loudspeaker with advanced composite enclosure materials. High frequency waveguide, Radiation Boundary Integrator™, two 2255H 15" Differential Drive® low frequency loudspeakers with neodymium magnets, four 2250H 8" midrange cone transducers with neodymium magnets, three JBL 2435H compact neodymium compression drivers with 3" diameter beryllium diaphragm, axially-symmetrical enclosure, integrated rigging, perforated steel grilles with foam backing, eight handles. Combine to form articulated line arrays. Suspend with VT4889-AF or VT4889-SF Array Frame. Ships with hingebrars and accessories (dolly and cover). (72 kg / 160 lb)	180,400,000 ريال	USA
446	VerTec® FULLSIZELINE ARRAY SYSTEM ELEMENT, PLYMAX™ ENCLOSURE			
447	VT4889-1	Three-Way High Directivity Full Size Line Array Element Loudspeaker with PlyMax® wooden enclosure materials. Identical rigging, component transducers, and acoustical performance to existing VT4889 composite-shell model. Ten handles. Ships with hingebrars. (78.9 kg / 174 lb)	139,200,000 ريال	USA
448	VT4889-1-ACC	Accessory Kit for VT4889-1 is sold and shipped as a separate item. Includes items necessary for proper transport and protection of one VT4889-1: (1) VT4889-DOLLY, (1) VT4889-1 COVER. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, black. (20 kg / 42 lb)	10,810,000 ريال	USA
449	VT4889-AF	Array Frame for suspending VT4889 or VT4880 enclosures. Also enables ground-stacking. Aluminum, black. (45 kg / 100 lb)	43,090,000 ريال	USA
450	VT4889-SF	Short frame for suspending VT4889 or VT4880 enclosures or for use as bottom anchor on large arrays. Also enables ground-stacking. Aluminum, black. (24 kg / 52 lb)	30,990,000 ريال	USA
451	VT4889-ASP	Acoustical Spares Kit for VT4889, VT4889-1. Includes minimum anticipated spare loudspeakers and replacement diaphragms that a system owner may require during field use. Contains (1) 2255H 15" speaker, (2) 2250H 8" speakers, and (3) diaphragm kits for 2435H compression driver. System User Guide included. Recommend purchase (1) VT4889-ASP for each (12) VT4889 enclosures used in portable or touring conditions.	47,730,000 ريال	USA
452	VT4889-MSP	Mechanical Spares Kit for VT4889, VT4889-1. Includes quantity of screws, lanyards and other hardware items most likely to be required by system users during long-term field use. Included parts, (1) rigging frame w/screws, (2) rear hinge bars, (2) front hinge bars, (8) quick-release pins w/lanyards, (1) dolly castor, and selection of proper screws for low freq. grilles, input plate, and RBI's. System User Guide included. Recommend purchase (1) VT4889-MSP for each (12) VT4889 enclosures used in portable or touring conditions.	25,040,000 ريال	USA
453	VerTec® SPECIALIZED ARRAY ADAPTER FRAMES			
454	VT4800-CA	Compact Adapter Frame for combining different VERTEC system models into multi-box arrays. Suspends VT4887 and/or VT4881 from VT4888 or VT4882. Includes hingebar set for VT4887/VT4881. Aluminum, black. (32.5 kg / 72 lb)	35,330,000 ريال	USA
455	VT4800-DA	Downfill Adapter Frame for suspending up to four VT4887 beneath VT4889 or VT4880 arrays. Steel, black. (25 kg / 56 lb)	24,630,000 ريال	USA
456	VT4800-UA	Universal Adapter Frame for combining different VERTEC system models into multi-box arrays. Suspends VT4888/VT4882 and/or VT4887/VT4881 from VT4880 or VT4889 arrays. Includes hingebar sets for VT4888, VT4887/VT4881. Aluminum, black. (43 kg / 95 lb)	45,180,000 ريال	USA
457	VerTec® DP SERIES POWERED LINE ARRAY SYSTEMS AND SUBWOOFERS			

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
458	VT4881ADP	1 X 18" Powered Compact Arrayable Subwoofer Equipped with DP1 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Arrayable subwoofer for suspension of ground-stacking. One 2269G 457 mm (18") Differential Drive® Direct Cooled Neodymium Magnet low frequency loudspeaker. Vented enclosure, PlyMax® engineered panels, non-slip rubber stacking feet, integrated rigging, perforated steel grille with foam backing, six handles for suspended or ground-stacked applications. Ships with hingebars. Suspend with VT4887-AF and/or VT4887-SF. Order available –ACC kit to receive dolly and cover. (62.6 kg / 138 lb)	76,510,000 ريال	USA
459	VT4881ADP-ACC	Accessory Kit for VT4881ADP Systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4881ADP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, rigid foam blocks, and metal panels to protect JBL DrivePack electronics.	13,260,000 ريال	USA
460	VT4881ADP-AN	VT4881ADP with optional analog network module Ethernet connectors for remote control/monitoring. XLR's for audio input. HiQnet™ compatible.	88,030,000 ريال	USA
461	VT4881ADP-CN	VT4881ADP with optional Cobranet™ network module Ethernet for digital audio and remote control/monitoring. XLR's for analog audio backup. HiQnet™ compatible	95,250,000 ريال	USA
462	VT4882DP	Powered 2x15" Midsize Arrayable Subwoofer Equipped with DP3 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Arrayable subwoofer for suspension or ground-stacking. Two 2266H 381 mm (15") Differential Drive® Direct Cooled Neodymium Magnet low frequency loudspeakers. Centrally-vented trapezoidal enclosure, PlyMax® engineered panels, perforated steel grille with foam backing, 8 handles. Integrated rigging. Fully compatible with VT4888 or VT4888DP full range line array elements to form articulated arrays. (73.9 kg / 163 lb)	95,350,000 ريال	USA
463	VT4882DP-ACC	Accessory Kit for VT4882DP systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4882DP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.	13,530,000 ريال	USA
464	VT4882DP-AN	VT4882DP Fitted with Optional Analog Network Module. Ethernet Connectors For Remote Control/Monitoring. XLR's for Audio Input. HiQnet Compatible.	106,850,000 ريال	USA
465	VT4882DP-CN	VT4882DP with Optional Cobranet™ Network Module. Ethernet for Digital Audio and Remote Control/Monitoring. XLR's for Analog Backup. HiQnet Compatible.	115,080,000 ريال	USA
466	VT4887ADP	Powered Compact High Directivity Line Array Element Equipped with DP2 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Precision Waveguides. Radiation Boundary Integrators, two 2168H-1 8" Differential Drive® extended low frequency loudspeakers, four 2104H midrange cone transducers, two 2408H neodymium ultra-light ring radiator compression drivers, axially-symmetrical enclosure, JBL PlyMax® engineered panels, integrated rigging, perforated steel grills with foam backing, two handles. Ships with hingebars. Suspend with VT4887-AF and/or VT4887-SF. Combine to form articulated arrays. Order available -ACC Kit to receive dolly and cover. (39.5 kg / 87 lb)	91,690,000 ريال	USA
467	VT4887ADP-ACC	Accessory Kit for VT4887ADP Systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4887ADP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.	10,810,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	VT4887ADP-AN	VT4887ADP with optional analog network module Ethernet connectors for remote control/monitoring, XLR's for audio input. HiQnet™ compatible.	102,850,000 ر.ي.س	USA
468				

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
469	VT4887ADP-CN	VT4887ADP with optional Cobranet™ network module Ethernet for digital audio and remote control/monitoring. XLR's for analog audio backup. HiQnet™ compatible.	110,830,000 ريال	USA
470	VT4888DP	Powered 3-Way High Directivity Midsize Line Array Element Equipped with DP3 DrivePack unit. Integrated audio system with dbx digital signal processing and Crown amplification. Precision Waveguides. Radiation Boundary Integrators, two 2262HPL 12" Differential Drive® low frequency loudspeakers, four 2106H midrange cone transducers, two 2431H compact neodymium compression drivers with 3" diameter diaphragm, axially-symmetrical enclosure, JBL PlyMax® engineered panels, integrated rigging, perforated steel grills with foam backing, six handles. Combine to form articulated arrays. (68 kg / 150 lb)	132,750,000 ريال	USA
471	VT4888DP-ACC	Accessory Kit for VT4888DP systems. Sold and shipped separately. Includes items necessary for proper transport and protection of one VT4888DP: (1) protective frontplate/dolly wheelboard, and (1) cover bag. Dolly has integral handles, plywood, black. Cover is rugged soft padded bag with straps, metal panels to protect JBL DrivePack electronics.	12,230,000 ريال	USA
472	VT4888DP-AN	VT4888DP with optional analog network module. Ethernet connectors for remote control/monitoring, XLR's for audio input. HiQnet™ compatible.	144,520,000 ريال	USA
473	VT4888DP-CN	VT4888DP with optional Cobranet™ network module Ethernet for digital audio and remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	152,820,000 ريال	USA
474	VerTec® NEW FULL SIZE POWERED MODELS			
475	VT4889ADP *NEW*	Fullsize Powered 3-Way High Directivity Line Array Element Loudspeaker. Equipped with DP-3 JBL DrivePack® Unit, dbx Digital Signal Processing, Crown Amplification. Precision Waveguides. Radiation Boundary Integrators, Two 2265H 15" Differential Drive® Low Frequency Loudspeakers, Four 2169H Midrange Cone Transducers, Three 2435HPL Compact Neodymium Compression Drivers with 3" Diameter Diaphragm. Axially-Symmetrical Enclosure, JBL PlyMax® Engineered Enclosure Panels, Patented Integrated Suspension Hardware, Perforated Steel Grilles with Foam Backing, Eight Handles. Combine to Form Articulated Arrays. (92 kg/203 lb)	194,710,000 ريال	USA
476	VT4889ADP-AN *NEW*	VT4889ADP with optional analog network module. Ethernet connectors for remote control/monitoring, XLR's for audio input. HiQnet™ compatible.	205,730,000 ريال	USA
477	VT4889ADP-CN *NEW*	VT4889ADP with optional Cobranet network module. Ethernet for digital audio and remote control/monitoring. XLR's for analog backup. HiQnet™ compatible.	213,240,000 ريال	USA
478	VT4889ADP-ACC *NEW*	Accessory Kit for VT4889ADP models. Includes items necessary for safe, reliable transport in portable-use conditions. Contains (1) VT4889-DOLLY protective wheelboard and (1) VT4889ADP-COVER with rigid foam blocks and protective metal plates for JBL DrivePack.	14,250,000 ريال	USA
479	VT4880ADP *NEW*	Fullsize Powered 2x18" Arrayable Subwoofer. Equipped with DP-3 JBL DrivePack® Unit, dbx Digital Signal Processing, Crown Amplification. Two 2269G 18" Differential Drive® Ultra Long Excursion Low Frequency Loudspeakers. Centrally Vented Enclosure, JBL PlyMax® Engineered Enclosure Panels, Patented Integrated Suspension Hardware, Perforated Steel Grilles with Foam Backing, Ten Handles. Suspended Arrays or Ground-Stack Applications. (99.8 kg/220 lb)	132,240,000 ريال	USA
480	VT4880ADP-AN *NEW*	VT4880ADP with optional analog network module. Ethernet connectors for remote control/monitoring, XLR's for audio input. HiQnet™ compatible. (99.4 kg/219 lb)	143,280,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
481	VT4880ADP-CN *NEW*	VT4880ADP with optional Cobranet network module. Ethernet for digital audio and remote control/monitoring. I XLR's for analog backup. HiQnet™ compatible.	158,700,000 ريال	USA
482	VT4880ADP-ACC *NEW*	Accessory Kit for VT4880ADP models. Includes items necessary for safe, reliable transport in portable-use conditions. Contains (1) VT4880-DOLLY protective wheelboard and (1) VT4880ADP-COVER with rigid foam blocks and protective metal plates for JBL DrivePack	14,520,000 ريال	USA
483				
484	PRECISION DIRECTIVITY™ SERIES (JBL05)	**Delivery - WRC and WRX are Build-To-Order Products, not Stocked. Lead Time (From when the Order is Cleared by JBL Credit Dept to Shipment from JBL Factory) is typically 4 to 8 weeks.		
485	VLA SERIES	Custom Extra-Cost Options: Longer Input Cable, Special Cable Types. AE-Style Connector Input Plate (Barrier Strip Terminals) with Sealed Cover Plate (Selectable Network Mode). Custom Colors (Dark Colors to be Avoided if Installed in Warm Climates).		
486	VLA301	Three-Way Full-Range Horn-Loaded Line Array loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF.	102,520,000 ريال	USA
487	VLA301-WRC	With Weather Protection Treatment.	106,220,000 ريال	USA
488	VLA301-WRX	With Extreme Weather Protection Treatment	146,540,000 ريال	USA
489	VLA601	Three-Way Full-Range Horn-Loaded Line Array loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF.	95,500,000 ريال	USA
490	VLA601-WRC	With Weather Protection Treatment.	102,910,000 ريال	USA
491	VLA601-WRX	With Extreme Weather Protection Treatment	123,200,000 ريال	USA
492	VLA901	Three-Way Full-Range Horn-Loaded Line Array loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF.	94,170,000 ريال	USA
493	VLA901-WRC	With Weather Protection Treatment.	100,520,000 ريال	USA
494	VLA901-WRX	With Extreme Weather Protection Treatment	118,940,000 ريال	USA
495	VLA301H	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	138,860,000 ريال	USA
496	VLA301H-WRC	With Weather Protection Treatment.	142,700,000 ريال	USA
497	VLA301H-WRX	With Extreme Weather Protection Treatment	186,740,000 ريال	USA
498	VLA601H	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	131,840,000 ريال	USA
499	VLA601H-WRC	With Weather Protection Treatment.	139,250,000 ريال	USA
500	VLA601H-WRX	With Extreme Weather Protection Treatment	159,540,000 ريال	USA
501	VLA901H	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	130,510,000 ريال	USA
502	VLA901H-WRC	With Weather Protection Treatment.	136,730,000 ريال	USA
503	VLA901H-WRX	With Extreme Weather Protection Treatment	153,970,000 ريال	USA
504	PD5000			
505	PD5200/95	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	43,430,000 ريال	USA
506	PD5200/95-WRC	With Weather Protection Treatment.	57,400,000 ريال	USA
507	PD5200/95-WRX	With Extreme Weather Protection Treatment	60,840,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
508	PD5200/64	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	43,430,000 ريال	USA
509	PD5200/64-WRC	With Weather Protection Treatment.	57,400,000 ريال	USA
510	PD5200/64-WRX	With Extreme Weather Protection Treatment	60,840,000 ريال	USA
511	PD5200/43	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	48,950,000 ريال	USA
512	PD5200/43-WRC	With Weather Protection Treatment.	64,010,000 ريال	USA
513	PD5200/43-WRX	With Extreme Weather Protection Treatment	67,540,000 ريال	USA
514	PD5212/95	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	47,540,000 ريال	USA
515	PD5212/95-WRC	With Weather Protection Treatment.	61,460,000 ريال	USA
516	PD5212/95-WRX	With Extreme Weather Protection Treatment	65,000,000 ريال	USA
517	PD5212/64	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	47,540,000 ريال	USA
518	PD5212/64-WRC	With Weather Protection Treatment.	61,460,000 ريال	USA
519	PD5212/64-WRX	With Extreme Weather Protection Treatment	65,000,000 ريال	USA
520	PD5212/43	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs).	53,160,000 ريال	USA
521	PD5212/43-WRC	With Weather Protection Treatment.	68,430,000 ريال	USA
522	PD5212/43-WRX	With Extreme Weather Protection Treatment	71,840,000 ريال	USA
523	PD5322/95	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	55,630,000 ريال	USA
524	PD5322/95-WRC	With Weather Protection Treatment.	69,840,000 ريال	USA
525	PD5322/95-WRX	With Extreme Weather Protection Treatment	73,240,000 ريال	USA
526	PD5322/64	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	55,630,000 ريال	USA
527	PD5322/64-WRC	With Weather Protection Treatment.	71,360,000 ريال	USA
528	PD5322/64-WRX	With Extreme Weather Protection Treatment	73,240,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
529	PD5322/43	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs).	62,340,000 ريال	USA
530	PD5322/43-WRC	Same as above but in White.	74,960,000 ريال	USA
531	PD5322/43-WRX	With Weather Protection Treatment.		USA
532	PD5122	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb).	25,830,000 ريال	USA
533	PD5122-WRC	With Weather Protection Treatment.	37,050,000 ريال	USA
534	PD5122-WRX	With Extreme Weather Protection Treatment	40,590,000 ريال	USA
535	PD5125	High Output Low Frequency Loudspeaker with 15" Front Loaded Woofers. Two 300mm (15 in.) VGC™ Vented Gap Cooled 2226H Low Frequency Drivers in a Front Loaded, Vented Configuration. 37 Hz to 2.5 Khz Frequency Range. 991 x 476 x 691 mm (39 x 18.75 x 27.2 in.), 53.4 kg (118 lb).	26,940,000 ريال	USA
536	PD5125-WRC	With Weather Protection Treatment.	38,180,000 ريال	USA
537	PD5125-WRX	With Extreme Weather Protection Treatment	41,580,000 ريال	USA
538	PD 700			
539	PD743	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	94,140,000 ريال	USA
540	PD743-WRC	With Weather Protection Treatment.	98,640,000 ريال	USA
541	PD743-WRX	With Extreme Weather Protection Treatment	102,280,000 ريال	USA
542	PD764	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	89,140,000 ريال	USA
543	PD764-WRC	With Weather Protection Treatment.	98,720,000 ريال	USA
544	PD764-WRX	With Extreme Weather Protection Treatment	102,290,000 ريال	USA
545				
546	AE APPLICATION ENGINEERED SERIES (JBL052)			
547	[AM] Performance-Maximized 3-Ways			
548	AM6340/95	High Power 3-Way Loudspeaker with 4 x 10" LF Drivers. 90° x 50° Coverage, Multiple LF Drivers Extend Pattern Control Into The LF Band, Bi-Amp/Tri-Amp Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. <i>Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array With ASB6128 (Or ASB4128) Subwoofer Center.</i>	57,100,000 ريال	USA
549	AM6340/95-WH	Same as above, but in White.	57,100,000 ريال	USA
550	AM6340/95-WRC	With Weather Protection Treatment.	70,030,000 ريال	USA
551	AM6340/95-WRX	With Extreme Weather Protection Treatment	73,590,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	AM6340/64	High Power 3-Way Loudspeaker with 4 x 10" LF Drivers. 60° x 40° Coverage, Multiple LF Drivers Extend Pattern Control Into The LF Band, Bi-Amp/Tri-Amp Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array With ASB6128 (Or ASB4128) Subwoofer Center.	57,100,000 ريال	USA
552	AM6340/64-WH	Same as above, but in White.	57,100,000 ريال	USA
553	AM6340/64-WRC	With Weather Protection Treatment.	70,030,000 ريال	USA
554	AM6340/64-WRX	With Extreme Weather Protection Treatment	73,590,000 ريال	USA
555	AM6315/95	High Power 3-Way Loudspeaker with 1 x 15" LF Driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array With ASB6128V Subwoofer In Center.	50,090,000 ريال	USA
556	AM6315/95-WH	Same as above, but in White.	50,090,000 ريال	USA
557	AM6315/95-WRC	With Weather Protection Treatment.	62,630,000 ريال	USA
558	AM6315/95-WRX	With Extreme Weather Protection Treatment	66,190,000 ريال	USA
559	AM6315/64	High Power 3-Way Loudspeaker with 1 x 15" LF Driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array With ASB6128V Subwoofer In Center.	50,090,000 ريال	USA
560	AM6315/64-WH	Same as above, but in White.	50,090,000 ريال	USA
561	AM6315/64-WRC	With Weather Protection Treatment.	62,630,000 ريال	USA
562	AM6315/64-WRX	With Extreme Weather Protection Treatment	66,190,000 ريال	USA
563	AM4315/95	Medium Power 3-Way Loudspeaker with 1 x 15" LF Driver. 90° x 50° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array with ASB6128V Subwoofer in Center.	33,230,000 ريال	USA
564	AM4315/95-WH	Same as above, but in White.	33,230,000 ريال	USA
565	AM4315/95-WRC	With Weather Protection Treatment.	44,810,000 ريال	USA
566	AM4315/95-WRX	With Extreme Weather Protection Treatment	48,370,000 ريال	USA
567	AM4315/64	Medium Power 3-Way Loudspeaker with 1 x 15" LF Driver. 60° x 40° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kit PAF-2K for 3-Wide Array with ASB6128V Subwoofer in Center.	33,230,000 ريال	USA
568	AM4315/64-WH	Same as above, but in White.	33,230,000 ريال	USA
569	AM4315/64-WRC	With Weather Protection Treatment.	44,810,000 ريال	USA
570	AM4315/64-WRX	With Extreme Weather Protection Treatment	48,370,000 ريال	USA
571	AM6200/95	High Power Mid-High Frequency Loudspeaker. 90° x 50° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kits PAF-2K for 3-Wide Array With ASB6118 Subwoofer In Center or PAF-3K for AL6115 LF In Center.	39,970,000 ريال	USA
572	AM6200/95-WH	Same as above, but in White.	39,970,000 ريال	USA
573	AM6200/95-WRC	With Weather Protection Treatment.	50,700,000 ريال	USA
574	AM6200/95-WRX	With Extreme Weather Protection Treatment	54,260,000 ريال	USA
575				

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4 576	AM6200/64	High Power Mid-High Frequency Loudspeaker. 60° x 40° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kits PAF-2K for 3-Wide Array With ASB6118 Subwoofer In Center or PAF-3K for AL6115 LF In Center.	39,970,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
577	AM6200/64-WH	Same as above, but in White.	39,970,000 ريال	USA
578	AM6200/64-WRC	With Weather Protection Treatment.	50,700,000 ريال	USA
579	AM6200/64-WRX	With Extreme Weather Protection Treatment	54,260,000 ريال	USA
580	AM4200/95	Medium Power Mid-High Frequency Loudspeaker. 90° x 50° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts not Included. Optional Planar Array Frame Kits PAF-2K for 3-Wide Array With ASB6118 Subwoofer In Center or PAF-3K for AL6115 LF In Center.	24,790,000 ريال	USA
581	AM4200/95-WH	Same as above, but in White.	24,790,000 ريال	USA
582	AM4200/95-WRC	With Weather Protection Treatment.	34,530,000 ريال	USA
583	AM4200/95-WRX	With Extreme Weather Protection Treatment	38,230,000 ريال	USA
584	AM4200/64	High Power Mid-High Frequency Loudspeaker. 60° x 40° Coverage, Bi-Amp/Passive Switchable. CMCD™ Cone Midrange Compression Driver™, Large PT™ Waveguides. Suspension Eyebolts Not Included. Optional Planar Array Frame Kits PAF-2K for 3-Wide Array With ASB6118 Subwoofer In Center or PAF-3K for AL6115 LF In Center.	24,790,000 ريال	USA
585	AM4200/64-WH	Same as above, but in White.	24,790,000 ريال	USA
586	AM4200/64-WRC	With Weather Protection Treatment.	34,530,000 ريال	USA
587	AM4200/64-WRX	With Extreme Weather Protection Treatment	38,230,000 ريال	USA
588	[AM] Performance-Maximized 2-Ways			
589	AM6215/95	High Power 2 -Way Loudspeaker with 1 x 15" LF . 90° x 50° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-1.	28,020,000 ريال	USA
590	AM6215/95-WH	Same as above, but in White.	28,020,000 ريال	USA
591	AM6215/95-WRC	With Weather Protection Treatment.	37,140,000 ريال	USA
592	AM6215/95-WRX	With Extreme Weather Protection Treatment	40,830,000 ريال	USA
593	AM6215/64	High Power 2 -Way Loudspeaker with 1 x 15" LF . 60° x 40° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-1.	28,020,000 ريال	USA
594	AM6215/64-WH	Same as above, but in White.	28,020,000 ريال	USA
595	AM6215/64-WRC	With Weather Protection Treatment.	37,140,000 ريال	USA
596	AM6215/64-WRX	With Extreme Weather Protection Treatment	40,830,000 ريال	USA
597	AM6212/95	High Power 2 -Way Loudspeaker with 1 x 12" LF . 90° x 50° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	26,690,000 ريال	USA
598	AM6212/95-WH	Same as above, but in White.	26,690,000 ريال	USA
599	AM6212/95-WRC	With Weather Protection Treatment.	35,900,000 ريال	USA
600	AM6212/95-WRX	With Extreme Weather Protection Treatment	39,460,000 ريال	USA
601	AM6212/64	High Power 2 -Way Loudspeaker with 1 x 12" LF . 60° x 40° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	26,690,000 ريال	USA
602	AM6212/64-WH	Same as above, but in White.	26,690,000 ريال	USA
603	AM6212/64-WRC	With Weather Protection Treatment.	35,900,000 ريال	USA
604	AM6212/64-WRX	With Extreme Weather Protection Treatment	39,460,000 ريال	USA
605	AM6212/00	High Power 2 -Way Loudspeaker with 1 x 12" LF . 100° x 100° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	26,690,000 ريال	USA
606	AM6212/00-WH	Same as above, but in White.	26,690,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	AM6212/00-WRC	With Weather Protection Treatment.	35,900,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
608	AM6212/00-WRX	With Extreme Weather Protection Treatment	39,460,000 ريال	USA
	AM4215/95	Medium Power 2 -Way Loudspeaker with 1 x 15" LF . 90° x 50° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-1.	18,680,000 ريال	USA
609				
610	AM4215/95-WH	Same as above, but in White.	18,680,000 ريال	USA
611	AM4215/95-WRC	With Weather Protection Treatment.	27,680,000 ريال	USA
612	AM4215/95-WRX	With Extreme Weather Protection Treatment	31,240,000 ريال	USA
	AM4215/64	Medium Power 2 -Way Loudspeaker with 1 x 15" LF . 60° x 40° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-1.	18,680,000 ريال	USA
613				
614	AM4215/64-WH	Same as above, but in White.	18,680,000 ريال	USA
615	AM4215/64-WRC	With Weather Protection Treatment.	27,680,000 ريال	USA
616	AM4215/64-WRX	With Extreme Weather Protection Treatment	31,240,000 ريال	USA
	AM4212/95	Medium Power 2 -Way Loudspeaker with 1 x 12" LF . 90° x 50° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	17,750,000 ريال	USA
617				
618	AM4212/95-WH	Same as above, but in White.	17,750,000 ريال	USA
619	AM4212/95-WRC	With Weather Protection Treatment.	26,580,000 ريال	USA
620	AM4212/95-WRX	With Extreme Weather Protection Treatment	30,280,000 ريال	USA
	AM4212/64	Medium Power 2 -Way Loudspeaker with 1 x 12" LF . 60° x 40° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	17,750,000 ريال	USA
621				
622	AM4212/64-WH	Same as above, but in White.	17,750,000 ريال	USA
623	AM4212/64-WRC	With Weather Protection Treatment.	26,580,000 ريال	USA
624	AM4212/64-WRX	With Extreme Weather Protection Treatment	30,280,000 ريال	USA
	AM4212/00	Medium Power 2 -Way Loudspeaker with 1 x 12" LF . 100° x 100° Coverage, Bi-Amp/Passive Switchable. Large PT™ Progressive Transistion™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-3.	17,750,000 ريال	USA
625				
626	AM4212/00-WH	Same as above, but in White.	17,750,000 ريال	USA
627	AM4212/00-WRC	With Weather Protection Treatment.	26,580,000 ريال	USA
628	AM4212/00-WRX	With Extreme Weather Protection Treatment	30,280,000 ريال	USA
629	[AC] Series Speakers			
	AC2215/95	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	11,870,000 ريال	USA
630				
631	AC2215/95-WH	Same as above, but in White.	11,870,000 ريال	USA
632	AC2215/95-WRC	With Weather Protection Treatment.	20,830,000 ريال	USA
633	AC2215/95-WRX	With Extreme Weather Protection Treatment	24,450,000 ريال	USA
	AC2215/64	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	11,870,000 ريال	USA
634				
635	AC2215/64-WH	Same as above, but in White.	11,870,000 ريال	USA
636	AC2215/64-WRC	With Weather Protection Treatment.	20,830,000 ريال	USA
637	AC2215/64-WRX	With Extreme Weather Protection Treatment	24,450,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	AC2215/00	Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. <i>Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.</i>	12,160,000 ريال	USA
638				

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
639	AC2215/00-WH	Same as above, but in White.	12,160,000 ريال	USA
640	AC2215/00-WRC	With Weather Protection Treatment.	21,490,000 ريال	USA
641	AC2215/00-WRX	With Extreme Weather Protection Treatment	24,890,000 ريال	USA
642	AC2212/95	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.	10,790,000 ريال	USA
643	AC2212/95-WH	Same as above, but in White.	10,790,000 ريال	USA
644	AC2212/95-WRC	With Weather Protection Treatment.	20,030,000 ريال	USA
645	AC2212/95-WRX	With Extreme Weather Protection Treatment	23,440,000 ريال	USA
646	AC2212/64	Compact 2-Way Loudspeaker with 1 x 12" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.	10,790,000 ريال	USA
647	AC2212/64-WH	Same as above, but in White.	10,790,000 ريال	USA
648	AC2212/64-WRC	With Weather Protection Treatment.	20,030,000 ريال	USA
649	AC2212/64-WRX	With Extreme Weather Protection Treatment		USA
650	AC2212/00	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.	11,270,000 ريال	USA
651	AC2212/00-WH	Same as above, but in White.	11,270,000 ريال	USA
652	AC2212/00-WRC	With Weather Protection Treatment.	20,330,000 ريال	USA
653	AC2212/00-WRX	With Extreme Weather Protection Treatment	23,950,000 ريال	USA
654	[AL] Low Frequency Speakers			
655	AL6115	High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2226H VGC™ Driver. Suspension Eyebolts Not Included. Arrays With AM6200 and AM4200 Mid-High Loudspeakers (Using PAF-3K Planar Array Frame Kit) or With AC2212.	15,500,000 ريال	USA
656	AL6115-WH	Same as above, but in White.	15,500,000 ريال	USA
657	AL6115-WRC	With Weather Protection Treatment.	24,110,000 ريال	USA
658	AL6115-WRX	With Extreme Weather Protection Treatment		USA
659	AL6125	High Power 2 x 15" Low Frequency Loudspeaker. 2 x 15" 2226H VGC™ Driver. Suspension Eyebolts Not Included. Arrays With AM6200 and AM4200 Mid-High Loudspeakers (Using PAF-3K Planar Array Frame Kit) or With AC2212.	23,750,000 ريال	USA
660	AL6125-WH	Same as above, but in White.	23,750,000 ريال	USA
661	AL6125-WRC	With Weather Protection Treatment.	33,980,000 ريال	USA
662	AL6125-WRX	With Extreme Weather Protection Treatment	37,690,000 ريال	USA
663	[ASB] Subwoofers and [ASH] Subwoofer Horn-Loaded			
664	ASB6118	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit.	20,150,000 ريال	USA
665	ASB6118-WH	Same as above, but in White.	20,150,000 ريال	USA
666	ASB6118-WRC	With Weather Protection Treatment.	29,050,000 ريال	USA
667	ASB6118-WRX	With Extreme Weather Protection Treatment	32,750,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	ASB6128	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit.	34,690,000 ر.ي.د	USA
668				

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
669	ASB6128-WH	Same as above, but in White.	34,690,000 ريال	USA
670	ASB6128-WRC	With Weather Protection Treatment.	48,100,000 ريال	USA
671	ASB6128-WRX	With Extreme Weather Protection Treatment	49,840,000 ريال	USA
672	ASB6128V	Extended Response, High Power Dual 18" Subwoofer. 2 x 18" 2258H NDD™ Neodymium Dual Drive Transducers in V-Loaded Configuration, Deep Cabinet, Driver Magnets Outward For Maximum Cooling, , Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6315 and AM4315 Loudspeakers Using PAF-2K Planar Array Frame Kit.	38,030,000 ريال	USA
673	ASB6128V-WH	Same as above, but in White.	38,030,000 ريال	USA
674	ASB4128	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Suspension Eyebolts Not Included.	26,480,000 ريال	USA
675	ASB4128-WH	Same as above, but in White.	26,480,000 ريال	USA
676	ASB4128-WRC	With Weather Protection Treatment.		USA
677	ASB4128-WRX	With Extreme Weather Protection Treatment		USA
678	ASH6118	Horn Loaded Subwoofer, Maximum Low Frequency Output & Sensitivity. 1 x 18" 2242H SVG™ Driver. Designed to be Used In Multiples (2 Minimum, 4 Optimum) with Proximity Placement Or With Proper Boundary Surface Loading. Not Suspensible. Special Order, Typical 4 Week Lead Time.	36,580,000 ريال	USA
679	ASH6118-WH	Same as above, but in White.	36,580,000 ريال	USA
680	AE Series Bracketry & Rigging Accessories			USA
681	MTU-1	U-Bracket For Models AM6215 (/95 or /64) and AM4215 (/95 or /64).	2,120,000 ريال	USA
682	MTU-1-WH	Same as above, but in White.	2,120,000 ريال	USA
683	MTU-2	U-Bracket For Model AC2215 (/95, /64 or /00).	1,880,000 ريال	USA
684	MTU-2-WH	Same as above, but in White.	1,880,000 ريال	USA
685	MTU-3	U-Bracket For Models AM6212 (/95, /64 or /00) and AM4212 (/95, /64, or/00).	2,000,000 ريال	USA
686	MTU-3-WH	Same as above, but in White.	2,000,000 ريال	USA
687	MTU-4	U-Bracket For Model AC2212 (/95, /64, or /00).	1,750,000 ريال	USA
688	MTU-4-WH	Same as above, but in White.	1,750,000 ريال	USA
689	PAF-1K	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x AC2212/64 With ASB6118 In Center.	16,350,000 ريال	USA
690	PAF-1K-WH	Same as above, but in White.	16,350,000 ريال	USA
691	PAF-2K	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array With LF or ASB in Center Position. For Models: AM6340, AM6315, AM4315, AM6200, AM4200, ASB6118, ASB6128, ASB4128, ASB6128V. Not all Speakers Can be Used Together. See AE Bracket Guide for Exact Model Configurations.	21,390,000 ريال	USA
692	PAF-2K-WH	Same as above, but in White.	21,390,000 ريال	USA
693	PAF-3K	Planar Array Frame Kit. Includes Top and Bottom Frame, Attachment Hardware and Pickup Points for 3-Wide Array. Fits 2 x AM6200/64 or 2 x AM4200/64 with AL6115 in Center.	22,650,000 ريال	USA
694	PAF-3K-WH	Same as above, but in White.	22,650,000 ريال	USA
695	229-00009-01	Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts.		USA
696				
697	AE APPLICATION ENGINEERED SERIES			
698	*NEW PRODUCTS*			
699	AE Compact 2-Way Speakers			
700	AC15	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15.	4,400,000 ريال	USA
701	AC15-WH	Same as above, but in White.	4,400,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4				
702	AC25	Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25.	8,180,000 ريال	USA
703	AC25-WH	Same as above, but in White.	8,180,000 ريال	USA
704	AC16	Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16.	8,790,000 ريال	USA
705	AC16-WH	Same as above, but in White.	8,790,000 ريال	USA
706	AC16-WRC	With Weather Protection Treatment.	16,500,000 ريال	USA
707	AC16-WRX	With Extreme Weather Protection Treatment	17,760,000 ريال	USA
708	AC26	Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26.	12,570,000 ريال	USA
709	AC26-WH	Same as above, but in White.	12,570,000 ريال	USA
710	AC26-WRC	With Weather Protection Treatment.	20,280,000 ريال	USA
711	AC26-WRX	With Extreme Weather Protection Treatment	21,540,000 ريال	USA
712	AC18/95	Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.	10,820,000 ريال	USA
713	AC18/95-WH	Same as above, but in White.	10,820,000 ريال	USA
714	AC18/95-WRC	With Weather Protection Treatment.	18,870,000 ريال	USA
715	AC18/95-WRX	With Extreme Weather Protection Treatment	21,390,000 ريال	USA
716	AC18/26	Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.	10,820,000 ريال	USA
717	AC18/26-WH	Same as above, but in White.	10,820,000 ريال	USA
718	AC18/26-WRC	With Weather Protection Treatment.	18,870,000 ريال	USA
719	AC18/26-WRX	With Extreme Weather Protection Treatment	21,390,000 ريال	USA
720	AC28/95	Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.	14,600,000 ريال	USA
721	AC28/95-WH	Same as above, but in White.	14,600,000 ريال	USA
722	AC28/95-WRC	With Weather Protection Treatment.	22,650,000 ريال	USA
723	AC28/95-WRX	With Extreme Weather Protection Treatment	25,170,000 ريال	USA
724	AC28/26	Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.	14,600,000 ريال	USA
725	AC28/26-WH	Same as above, but in White.	14,600,000 ريال	USA
726	AC28/26-WRC	With Weather Protection Treatment.	22,650,000 ريال	USA
727	AC28/26-WRX	With Extreme Weather Protection Treatment	25,170,000 ريال	USA
728	AE Compact Series Bracketry & Rigging Accessories			
729	MTU-15	U-Bracket For Model AC15	740,000 ريال	USA
730	MTU-25	U-Bracket For Model AC25	940,000 ريال	USA
731	MTU-16	U-Bracket For Model AC16	990,000 ريال	USA
732	MTU-26	U-Bracket For Model AC26	1,110,000 ريال	USA
733	MTU-18	U-Bracket For Models AC18/95 & AC18/26	1,190,000 ريال	USA

	A	B	D	E
	Model	Description	PRICE	Country of Origin
4	734 MTU-28	U-Bracket For Models AC28/95 & AC28/26	1,510,000 ريال	USA