

	A	B	C	D	E
1	<b>JBL Professional</b>				
2					
3					
4	<b>Model</b>	<b>Description</b>	<b>Weight (lbs.)</b>	<b>PRICE</b>	<b>Country of Origin</b>
5	<b>PRX(JBL006)</b>				
6	<b>PRX500 Loudspeakers</b>				
7	PRX512M	<b>12" two-way stage monitor or front of house self-powered speaker system;</b> 400 watt LF and 100 watt HF Crown® class D amplifier. DSP-featuring input section with selectable EQ. 12" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver, DuraFlex™-covered plywood enclosure, foam backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. Light weight, only 40 lbs!	49.00	15,900,000 ريال	MEXICO
8	PRX512M/230	Same as above but in 230v.	49.00	15,900,000 ريال	MEXICO
9	PRX515	<b>15" two-way self powered speaker system;</b> 400 watt LF and 100 watt HF Crown® class D amplifier. DSP-featuring input section with selectable EQ. 15" Differential Drive® woofer and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, 36 mm pole socket, non-skid rubber feet. Light weight, only 57 lbs!	69.00	18,190,000 ريال	MEXICO
10	PRX515/230	Same as above but in 230v.	69.00	18,190,000 ريال	MEXICO
11	PRX518S	<b>Compact 18" portable subwoofer system,</b> 500 watt Crown® class D amplifier. DSP featured input section with selectable x-over. 18" VGC™ Vented Gap Cooled woofer in a DuraFlex™-covered, 18mm plywood enclosure, foam backed steel grille, die-cast metal handles and 36 mm pole mount cup, non-skid rubber feet.	90.00	18,190,000 ريال	MEXICO
12	PRX518S/230	Same as above but in 230v.	90.00	18,190,000 ريال	MEXICO
13	PRX525	<b>Dual 15" two-way self-powered speaker system;</b> 2 x 275 watt LF and 100 watt HF Crown® class D amplifiers. DSP-featuring input section with selectable EQ. Two 15" Differential Drive® woofers and a 1.5" annular polymer diaphragm compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, non-skid rubber feet. Light weight, only 84 lbs!	99.00	21,510,000 ريال	MEXICO
14	PRX525/230	Same as above but in 230v.	99.00	21,510,000 ريال	MEXICO
15	PRX535	<b>15" three-way self-powered speaker system;</b> 400 watt LF, 150 watt MF and 100 watt HF Crown® class D amplifiers. DSP-featuring input section with selectable EQ. 15" Differential Drive® woofers, 6.5" horn loaded mid range and a 1" neodymium compression driver. DuraFlex™-covered, plywood enclosure, tough polyurethane protective end-caps, foam backed steel grille, die-cast metal handles, non-skid rubber feet. Light weight, only 74 lbs!	87.00	21,510,000 ريال	MEXICO
16	PRX535/230	Same as above but in 230v.	87.00	21,510,000 ريال	MEXICO
40	<b>EON (JBL010)</b>				
41	<b>EON Powered Loudspeakers</b>				
42	EON10-G2	<b>Powered 10" portable speaker system,</b> bi-amplified, 125 watt low-frequency, 50 watt high-frequency, 10" Differential Drive® woofer with neodymium magnet, 1" (exit) titanium diaphragm ferrofluid cooled compression driver, black with 'EON' embossed grille.	30.15	8,390,000 ريال	USA
43	EON10-G2/230	Same as above, but 230v.	30.15	8,390,000 ريال	USA
44	EON15-G2	<b>Powered 15" portable speaker system,</b> bi-amplified, 300 watt low-frequency, 100 watt high-frequency, 15" Differential Drive transducer with neodymium magnet, 1.75" (voice coil) titanium diaphragm compression driver, integral 3 input mixer, black with 'EON' embossed grille.	53.50	11,550,000 ريال	USA
45	EON15-G2/230	Same as above, but 230v.	53.50	11,550,000 ريال	USA
46	EON15P-1	<b>15" portable powered speaker system,</b> bi-amplified, 130 watt low frequency, 50 watt high frequency, 15" Differential Drive transducer with neodymium magnet, 1.75" (voice coil) titanium diaphragm compression driver, gray.	54.50	9,070,000 ريال	USA
47	EON15P-1/230	Same as EON 15P-1, but 230v.	54.50	9,070,000 ريال	USA
48	<b>EON SYSTEM</b>				
49	E-SYSTEM 10	<b>Complete sound reinforcement system</b> includes two powered EON10 G2 Speakers; one Soundcraft 8 channel mixer with 6 mic/line inputs plus two stereo inputs; two AKG microphones; four 25' XLR cables.	81.00	21,270,000 ريال	USA
50	E-SYSTEM 10/230	Same as above, but 230v.	81.00	21,270,000 ريال	USA

	A	B	C	D	E
	Model	Description	Weight (lbs.)	PRICE	Country of Origin
4	E-SYSTEM 15	<b>Complete sound reinforcement system</b> includes two powered EON15 G2 Speakers; one Soundcraft 10 channel mixer with 8 mic/line inputs plus two stereo inputs; two AKG microphones; four 25' XLR cables	144.00	ريال 27,900,000	USA
51					
52	E-SYSTEM 15/230	Same as above, but 230v.	144.00	ريال 27,900,000	USA
53	<b><u>EON Passive Loudspeakers</u></b>				
54	EON1500	<b>15" two-way portable speaker system</b> , 15" low-frequency transducer, 1" (exit) compression driver, SonicGuard™ over-power protection, 225 watt, black.	42.00	ريال 5,480,000	USA
55	<b><u>EON Accessories</u></b>				
56	EON BRK1	<b>Mounting Bracket</b> for EON 15" Speakers - Fixed Angle	1.00	ريال 700,000	USA
57	EON BRK2	<b>Mounting Bracket</b> for EON 10" Speakers - Fixed Angle	4.00	ريال 670,000	USA
58	EON BRK10	<b>Mounting bracket</b> for EON 10" Speakers - adapts to fit Omnimount® Series 60 brackets and others with compatible hole patterns.	1.00	ريال 810,000	USA
59	EON BRK15	<b>Mounting bracket</b> for EON 15" Speakers - adapts to fit Omnimount® Series 120 brackets and others with compatible hole patterns.	4.00	ريال 930,000	USA
60	ESK10-1	<b>Suspension Kit</b> for EON 10 Speakers	1.46	ريال 560,000	USA
61	ESK15-1	<b>Suspension Kit</b> for EON 15 Speakers (Not for use with EON 1500).	5.50	ريال 640,000	USA
62	EON10 Bag-1	<b>Zippered, plush-lined speaker bag</b> , fits all EON 10" speakers	2.08	ريال 720,000	CHINA
63	EON15 Bag-1	<b>Zippered, plush-lined speaker bag</b> , fits all EON 15" speakers	3.44	ريال 980,000	CHINA
64	EON15 Bag/w-1	<b>Zippered, plush-lined speaker wheeled bag</b> , fits all EON 15" speakers	9.50	ريال 1,860,000	CHINA
65	SS2-BK	<b>Tripod Stand</b> for EON, JRX, MRX, PRX, SRX and VRX	8.00	ريال 2,440,000	CHINA
66					
67	<b><u>JRX SERIES LOUDSPEAKERS (JBL012)</u></b>				
68	<b><u>JRX100 Series</u></b>				
69	JRX112M	<b>12" two-way portable stage monitor</b> or front of house speaker system includes a 12" woofer; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, stage monitor enclosure; 3/4" MDF construction; 18-gauge steel grill; 36 mm dual-angle pole mount socket; steel handles; Neutrik® Speakon® and 1/4" input..	51.25	ريال 3,920,000	MEXICO
70	JRX115	<b>15" two-way portable speaker system</b> includes a 15" woofer; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; 36 mm dual-angle pole mount socket; steel handles; Neutrik® Speakon® and 1/4" input.	67.00	ريال 4,050,000	MEXICO
71	JRX118S	<b>18" portable subwoofer system</b> with cast frame, 3" voice-coil woofer; 1/4" phone and dual Neutrik® Speakon® inputs; carpet-covered enclosure; 3/4" MDF construction; 18-gauge steel grille; 36 mm pole mount socket, and steel handles.	147.00	ريال 6,260,000	MEXICO
72	JRX118SP	<b>Powered 18" portable subwoofer system</b> includes a built-in amplifier with 500 watt (peak) and 300 watt (continuous) power; stereo, line-level, crossover with high-passed outputs; carpet-covered enclosure; 3/4" MDF construction; 18 gauge steel grille; 36 mm pole mount socket, and steel handles.	93.00	ريال 10,080,000	MEXICO
73	JRX118SP/230	Same as JRX118SP, but in 230v.	94.35	ريال 10,080,000	MEXICO
74	JRX125	<b>Dual 15" two-way portable speaker system</b> includes two 15" woofers; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; 3/4" MDF construction; 18-gauge steel grill; steel handles; Neutrik® Speakon® and 1/4" input.	103.00	ريال 5,910,000	MEXICO
75	<b><u>JRX100 INSTALL</u></b>				
76	JRX112MI	<b>12", two-way stage monitor or front of house speaker system</b> designed for installation applications. Includes a 12" woofer with an edgewound voice coil; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, stage monitor enclosure; 3/4" MDF construction; 18-gauge steel grill; 3x M10 threaded suspension points; 3x 10 mm forged shoulder eyebolts with washers; Neutrik® Speakon® and 1/4" input.	41.00	ريال 4,580,000	MEXICO

	A	B	C	D	E
	Model	Description	Weight (lbs.)	PRICE	Country of Origin
4	JRX115I	<b>15", two-way speaker system</b> designed for installation applications. Includes a 15" woofer with an edgewound voice coil; a 1" titanium diaphragm, fluid-cooled compression driver mounted on a Progressive Transition™ waveguide; SonicGuard™ high-frequency protection; carpet-covered, trapezoidal enclosure; ¾" MDF construction; 18-gauge steel grill; 3x M10 threaded suspension points; 3x 10 mm forged shoulder eyebolts with washers; Neutrik® Speakon® and ¼" input.	67.00	ريال 4,680,000	MEXICO
77					
78					
197	<b>SRX SERIES LOUDSPEAKERS (JBL022)</b>				
198	<b>SRX700 Series Loudspeaker</b>				
199	SRX712M	<b>12" Two-Way, Low-Profile Stage Monitor/Utility System</b> in a Symmetrical Enclosure; Dual-Angle 36mm Pole Mount Socket; 2262H Differential Drive® LF; 2431H 3" (Diaphragm) HF on 90° x 50° Horn Passive or Bi-Amplified Operation.	36.20	ريال 16,530,000	MEXICO
200	SRX715	<b>15" Two-Way System</b> in a Trapezoidal Enclosure; Dual -Angle 36mm Pole Mount Socket; 2265H Differential Drive® LF; 2431H 3" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi-Amplified Operation.	59.00	ريال 20,470,000	MEXICO
201	SRX715F	<b>Same as SRX715</b> with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	65.00	ريال 24,680,000	MEXICO
202	SRX718S	<b>18" Compact Subwoofer</b> ; 2268H Differential Drive® Woofer; Top-Mounted M20 Threaded Pole Socket to Receive SS4-BK Adjustable Pole (See Accessories).	89.00	ريال 14,000,000	MEXICO
203	SRX722	<b>Dual 12" Two-Way System</b> in a Compact, Trapezoidal Enclosure; 2 x 2262H Differential Drive® LF; 2452H 4" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi-Amplified Operation.	80.00	ريال 25,080,000	MEXICO
204	SRX722F	<b>Same as SRX722</b> , with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	85.00	ريال 29,150,000	MEXICO
205	SRX725	<b>Dual 15" Two-Way System</b> in a Trapezoidal Enclosure; 2 x 2265H Differential Drive® LF; 2452H 4" (Diaphragm) HF on 70° x 50° Horn; Passive or Bi-Amplified Operation.	128.00	ريال 27,080,000	MEXICO
206	SRX725F	<b>Same as SRX725</b> , with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	130.00	ريال 31,290,000	MEXICO
207	SRX728S	<b>Dual 18", High Power Subwoofer</b> ; 2 x 2268H Differential Driver® LF, Rectangular, Bass Reflex Enclosure.	175.00	ريال 22,990,000	MEXICO
208	SRX738	<b>18" Three-Way System</b> in a Trapezoidal Enclosure; 1 x 2268H Differential Drive® LF; 2169H MF on CMCD™ Cone Midrange Compression Driver; 2431H 3" (Diaphragm) HF; 60° x 40° Coverage; Passive or Bi-Amplified Operation.	116.00	ريال 27,760,000	MEXICO
209	SRX738F	<b>Same as SRX738</b> with 5 Flytrack and M10 Suspension Points Installed. Suspension requires detachable flying fittings or M10 eyebolts sold separately (See Accessories)	118.20	ريال 31,540,000	MEXICO
210	<b>Mounting and Suspension Accessories</b>				
211	SRX-FF3	<b>Detachable Flying Fittings</b> for SRX700F Models (3 pcs.)	1.00	ريال 1,090,000	CHINA
212	229-00009-01	<b>Set of 3 pcs M10 x 35 mm Forged Shoulder Steel Eyebolts.</b> Note that Eyebolts do NOT come Standard with Loudspeakers.		ريال 440,000	
213	SRX712M-YK	<b>Mounting and Suspension Yoke Accessory</b> for SRX712M.	4.90	ريال 1,070,000	USA
214	SS2-BK	<b>Tripod Stand</b> for EON, JRX, MRX, PRX, SRX, and VRX	7.60	ريال 2,440,000	CHINA
215	SS4-BK	<b>Adjustable Pole</b> for use with SRX718S/VRX918S/VRX915S Subwoofer. M20 Threads on Bottom, 35mm Pole on Top.	7.00	ريال 1,560,000	GERMANY
216	<b>Transport Accessories</b>				
217	SRX712M-CVR	<b>Padded Cover</b> for SRX712M.	1.45	ريال 840,000	CHINA
218	SRX715-CVR	<b>Padded Cover</b> for SRX715 and SRX715F.	2.20	ريال 960,000	CHINA
219	SRX718S-CVR	<b>Padded Cover</b> for SRX718S.	5.00	ريال 1,300,000	CHINA
220	SRX722-CVR	<b>Padded Cover</b> for SRX722 and SRX722F.	2.60	ريال 840,000	CHINA
221	SRX725-CVR	<b>Padded Cover</b> for SRX725 and SRX725F.	4.20	ريال 1,300,000	CHINA
222	SRX728S-CVR	<b>Padded Cover</b> for SRX728S.	8.60	ريال 1,680,000	CHINA
223	SRX738-CVR	<b>Padded Cover</b> for SRX738 and SRX738F.	3.44	ريال 1,080,000	CHINA
224	WK-4S	<b>Wheel Kit</b> for SRX718S/VRX918S/VRX918S. 4 x Swivel Casters	7.00	ريال 980,000	CHINA
225					
226	<b>MRX500 SERIES(JBL023)</b>				
227	<b>MRX Passive Loudspeakers</b>				

	A	B	C	D	E
4	Model	Description	Weight (lbs.)	PRICE	Country of Origin
228	MRX512M	<b>12" Two-way Portable Monitor or Front of House Speaker System.</b> 400 watt Continuous Power Capacity. 12" Differential Drive Woofer and a 1.5 " Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	30.00	10,080,000 ريال	USA
229	MRX515	<b>15" Two-way Portable Speaker System,</b> 400 watt Continuous Power Capacity. 15" Differential Drive Woofer and a 1.5 " Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	45.00	10,320,000 ريال	USA
230	MRX518S	<b>Compact 18" Portable Subwoofer System,</b> 500 watt Continuous Power Capacity. 18" VCG™ Woofer in a Duraflex™- Covered, 18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, and 35mm Pole Mount Cup, Non-Skid Rubber Feet.	80.00	10,080,000 ريال	USA
231	MRX525	<b>Dual 15" Two-way Portable Speaker System,</b> 800 watt Continuous Power Capacity. Two 15" Differential Drive Woofers and a 1.5 " Annular Polymer Diaphragm Compression Driver, Duraflex™- Covered 16/18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, dual 35mm Pole Mount Socket, Non-Skid Rubber Feet.	100.00	14,630,000 ريال	USA
232	MRX528S	<b>Dual 18" Portable Subwoofer System,</b> 1000 watt Continuous Power Capacity. Two 18" VCG™ Woofer in a Duraflex™- Covered, 18 mm Plywood Enclosure, 16 Gauge Steel Grille, Die-Cast Metal Handles, Non Skid Rubber Feet.	143.00	14,630,000 ريال	USA